



Target Species

Based on 89,582 complete checklists

324 species observed in Minnesota, US (region/US-MN) in Aug that you need for your **World Life List**

1. American Goldfinch	53.27% frequency
2. Black-capped Chickadee	51.22%
3. Blue Jay	41.67%
4. American Crow	39.77%
5. American Robin	33.45%
6. Downy Woodpecker	31.48%
7. White-breasted Nuthatch	31.45%
8. Northern Cardinal	30.42%
9. Song Sparrow	28.53%
10. Mourning Dove	28.36%
11. Mallard	26.44%
12. Barn Swallow	26.34%
13. Gray Catbird	26.23%
14. Cedar Waxwing	24.27%
15. Ruby-throated Hummingbird	23.47%
16. Canada Goose	21.97%
17. Ring-billed Gull	21.30%
18. Eastern Wood-Pewee	19.86%

19. Wood Duck	19.05%
20. Hairy Woodpecker	18.80%
21. Great Blue Heron	18.17%
22. Red-eyed Vireo	17.96%
23. Red-winged Blackbird	17.94%
24. Chipping Sparrow	15.86%
25. Northern House Wren	15.72%
26. House Finch	15.57%
27. American Redstart	15.26%
28. Common Yellowthroat	15.22%
29. Eastern Kingbird	15.08%
30. House Sparrow	14.90%
31. Double-crested Cormorant	14.00%
32. Red-bellied Woodpecker	13.69%
33. Northern Flicker	13.29%
34. Killdeer	13.15%
35. Bald Eagle	12.50%
36. Green Heron	12.34%
37. Rock Pigeon	11.65%
38. Great Egret	11.28%
39. Tree Swallow	11.20%
40. Baltimore Oriole	10.63%
41. Common Grackle	10.37%

42. Eastern Phoebe	10.27%
43. Turkey Vulture	9.85%
44. Black-and-white Warbler	9.51%
45. Red-breasted Nuthatch	9.50%
46. European Starling	9.33%
47. Belted Kingfisher	8.88%
48. Great Crested Flycatcher	8.74%
49. Rose-breasted Grosbeak	8.67%
50. Yellow Warbler	8.55%
51. Indigo Bunting	8.46%
52. Red-tailed Hawk	8.29%
53. Nashville Warbler	8.17%
54. Pileated Woodpecker	8.08%
55. Chimney Swift	7.30%
56. Trumpeter Swan	7.29%
57. Lesser Yellowlegs	6.80%
58. Chestnut-sided Warbler	6.75%
59. Eastern Bluebird	6.74%
60. Common Loon	6.35%
61. Blue-winged Teal	6.21%
62. Least Sandpiper	6.19%
63. Sandhill Crane	6.15%
64. Osprey	6.12%

65. Least Flycatcher	5.97%
66. Tennessee Warbler	5.78%
67. American White Pelican	5.73%
68. Spotted Sandpiper	5.68%
69. Cliff Swallow	5.36%
70. Warbling Vireo	5.00%
71. Pied-billed Grebe	4.59%
72. Swamp Sparrow	4.55%
73. Field Sparrow	4.27%
74. Common Raven	4.23%
75. Blue-gray Gnatcatcher	4.23%
76. White-throated Sparrow	4.20%
77. Yellow-throated Vireo	4.19%
78. Magnolia Warbler	4.18%
79. Solitary Sandpiper	4.08%
80. Pectoral Sandpiper	4.00%
81. Cooper's Hawk	3.94%
82. Common Nighthawk	3.94%
83. Purple Martin	3.94%
84. Wild Turkey	3.94%
85. Yellow-bellied Sapsucker	3.91%
86. Semipalmated Sandpiper	3.55%
87. Broad-winged Hawk	3.48%

88. American Herring Gull	3.45%
89. Canada Warbler	3.39%
90. Franklin's Gull	3.37%
91. Sedge Wren	3.34%
92. American Kestrel	3.32%
93. Hooded Merganser	3.19%
94. Purple Finch	3.08%
95. Greater Yellowlegs	3.05%
96. Blackburnian Warbler	3.03%
97. Ovenbird	3.02%
98. Olive-sided Flycatcher	2.97%
99. Northern Harrier	2.79%
100. Golden-winged Warbler	2.75%
101. Yellow-rumped Warbler	2.75%
102. Wilson's Warbler	2.70%
103. Bank Swallow	2.52%
104. Brown-headed Cowbird	2.52%
105. Northern Waterthrush	2.50%
106. Merlin	2.43%
107. Brown Thrasher	2.36%
108. Clay-colored Sparrow	2.31%
109. Eastern Towhee	2.27%
110. Marsh Wren	2.20%

111. Stilt Sandpiper	2.04%
112. Baird's Sandpiper	2.03%
113. Semipalmated Plover	2.00%
114. Black Tern	1.98%
115. Savannah Sparrow	1.92%
116. Veery	1.84%
117. Ring-necked Pheasant	1.71%
118. Scarlet Tanager	1.71%
119. Sora	1.64%
120. Yellow-headed Blackbird	1.57%
121. Black-throated Green Warbler	1.55%
122. American Coot	1.52%
123. Northern Rough-winged Swallow	1.51%
124. Mourning Warbler	1.35%
125. Alder Flycatcher	1.34%
126. Wilson's Snipe	1.32%
127. Red-headed Woodpecker	1.30%
128. Swainson's Thrush	1.29%
129. Bay-breasted Warbler	1.28%
130. Yellow-bellied Flycatcher	1.28%
131. Cape May Warbler	1.20%
132. Eurasian Collared-Dove	1.15%
133. Barred Owl	1.14%

134. Caspian Tern	1.12%
135. Bobolink	1.10%
136. Vesper Sparrow	1.09%
137. Northern Parula	1.08%
138. Green-winged Teal	1.06%
139. Common Merganser	1.05%
140. Northern Shoveler	1.04%
141. Dickcissel	1.04%
142. Horned Lark	1.00%
143. Sharp-shinned Hawk	0.9488%
144. Red-necked Phalarope	0.9187%
145. Willow Flycatcher	0.9064%
146. Pine Siskin	0.8685%
147. Peregrine Falcon	0.8662%
148. Ruddy Duck	0.8395%
149. Great Horned Owl	0.8395%
150. Pine Warbler	0.8350%
151. Ring-necked Duck	0.8216%
152. Philadelphia Vireo	0.8205%
153. Short-billed Dowitcher	0.8048%
154. Western Meadowlark	0.7993%
155. Blue-headed Vireo	0.7915%
156. Red-shouldered Hawk	0.7892%

157. Blue-winged Warbler	0.7167%
158. Orchard Oriole	0.7133%
159. Eastern Meadowlark	0.7055%
160. Forster's Tern	0.7044%
161. Buff-breasted Sandpiper	0.6932%
162. Black-crowned Night Heron	0.6452%
163. Brown Creeper	0.6430%
164. Palm Warbler	0.6329%
165. Common Goldeneye	0.6262%
166. Virginia Rail	0.6117%
167. Gadwall	0.6095%
168. Bonaparte's Gull	0.6050%
169. Red-necked Grebe	0.6050%
170. Golden-crowned Kinglet	0.5994%
171. Wilson's Phalarope	0.5972%
172. Grasshopper Sparrow	0.5660%
173. Red Crossbill	0.5648%
174. Sanderling	0.5515%
175. Ruffed Grouse	0.5470%
176. Redhead	0.5347%
177. Common Tern	0.4599%
178. Black-billed Cuckoo	0.4577%
179. Ruby-crowned Kinglet	0.4543%

180. Hermit Thrush	0.4543%
181. Yellow-billed Cuckoo	0.4487%
182. Blue Grosbeak	0.4476%
183. Blackpoll Warbler	0.4242%
184. Brewer's Blackbird	0.4008%
185. Lincoln's Sparrow	0.3974%
186. Canada Jay	0.3952%
187. Western Grebe	0.3695%
188. American Black Duck	0.3684%
189. Black-bellied Plover	0.3416%
190. Eared Grebe	0.3405%
191. Wood Thrush	0.3293%
192. American Bittern	0.3181%
193. Black-billed Magpie	0.3148%
194. Tufted Titmouse	0.2668%
195. Lark Sparrow	0.2646%
196. Canvasback	0.2579%
197. Winter Wren	0.2567%
198. American Golden-Plover	0.2556%
199. Least Bittern	0.2545%
200. Northern Pintail	0.2501%
201. American Wigeon	0.2445%
202. Connecticut Warbler	0.2389%

203. Lesser Scaup	0.2233%
204. Western Kingbird	0.2121%
205. American Avocet	0.2065%
206. Upland Sandpiper	0.2009%
207. Red-breasted Merganser	0.1987%
208. Dark-eyed Junco	0.1987%
209. Neotropic Cormorant	0.1920%
210. Bufflehead	0.1820%
211. Evening Grosbeak	0.1719%
212. Horned Grebe	0.1708%
213. Henslow's Sparrow	0.1540%
214. Prothonotary Warbler	0.1451%
215. Yellow-crowned Night Heron	0.1429%
216. Swainson's Hawk	0.1395%
217. American Woodcock	0.1384%
218. Common Gallinule	0.1373%
219. Willet	0.1362%
220. LeConte's Sparrow	0.1351%
221. White-winged Crossbill	0.1295%
222. Black-throated Blue Warbler	0.1295%
223. Black-backed Woodpecker	0.1206%
224. Marbled Godwit	0.1183%
225. Boreal Chickadee	0.1161%

226. Carolina Wren	0.1038%
227. Eastern Screech-Owl	0.1027%
228. Acadian Flycatcher	0.0982%
229. Ruddy Turnstone	0.0971%
230. White-rumped Sandpiper	0.0860%
231. Loggerhead Shrike	0.0837%
232. Long-billed Dowitcher	0.0826%
233. Red Knot	0.0781%
234. Bell's Vireo	0.0770%
235. Eastern Whip-poor-will	0.0737%
236. American Goshawk	0.0703%
237. Sharp-tailed Grouse	0.0681%
238. Snowy Egret	0.0659%
239. Gray-cheeked Thrush	0.0659%
240. Gray Partridge	0.0636%
241. Roseate Spoonbill	0.0592%
242. Hooded Warbler	0.0569%
243. Hudsonian Godwit	0.0547%
244. Louisiana Waterthrush	0.0536%
245. Summer Tanager	0.0536%
246. Eurasian Tree Sparrow	0.0480%
247. Greater White-fronted Goose	0.0424%
248. Snow Goose	0.0391%

249.	Mississippi Kite	0.0380%
250.	White-faced Ibis	0.0368%
251.	Dunlin	0.0346%
252.	Little Blue Heron	0.0346%
253.	Spruce Grouse	0.0335%
254.	Brown Booby	0.0335%
255.	Greater Prairie-Chicken	0.0324%
256.	Black-necked Stilt	0.0301%
257.	Parasitic Jaeger	0.0301%
258.	Western Cattle-Egret	0.0290%
259.	Wood Stork	0.0279%
260.	Tricolored Heron	0.0268%
261.	Ruff	0.0223%
262.	Swallow-tailed Kite	0.0212%
263.	Great Gray Owl	0.0179%
264.	Prairie Falcon	0.0179%
265.	Whimbrel	0.0156%
266.	Short-eared Owl	0.0156%
267.	Orange-crowned Warbler	0.0156%
268.	Piping Plover	0.0134%
269.	Lesser Black-backed Gull	0.0134%
270.	Nelson's Sparrow	0.0134%
271.	Black-bellied Whistling-Duck	0.0123%

272. Harlequin Duck	0.0112%
273. Cerulean Warbler	0.0112%
274. Ross's Goose	0.0100%
275. American Pipit	0.0100%
276. Northern Saw-whet Owl	0.0089%
277. Great-tailed Grackle	0.0089%
278. Greater Scaup	0.0078%
279. American Three-toed Woodpecker	0.0078%
280. Yellow Rail	0.0067%
281. Western Wood-Pewee	0.0067%
282. Say's Phoebe	0.0067%
283. Northern Mockingbird	0.0067%
284. Cackling Goose	0.0056%
285. Long-eared Owl	0.0056%
286. King Rail	0.0045%
287. Clark's Grebe	0.0045%
288. Yellow-breasted Chat	0.0045%
289. Yellow-throated Warbler	0.0045%
290. Long-tailed Jaeger	0.0033%
291. Least Tern	0.0033%
292. White-eyed Vireo	0.0033%
293. Slaty-backed Gull	0.0022%
294. Red-throated Loon	0.0022%

295. Pacific Loon	0.0022%
296. Scissor-tailed Flycatcher	0.0022%
297. Chestnut-collared Longspur	0.0022%
298. Tundra Swan	0.0011%
299. Black Vulture	0.0011%
300. Rough-legged Hawk	0.0011%
301. Ferruginous Hawk	0.0011%
302. Redpoll	0.0011%
303. Smith's Longspur	0.0011%
304. Fox Sparrow	0.0011%
305. White-crowned Sparrow	0.0011%
306. Rusty Blackbird	0.0011%
307. White-winged Dove	0.0000%
308. Rufous Hummingbird	0.0000%
309. Snowy Plover	0.0000%
310. Little Gull	0.0000%
311. Sabine's Gull	0.0000%
312. Black-headed Gull	0.0000%
313. White-tailed Kite	0.0000%
314. American Barn Owl	0.0000%
315. Burrowing Owl	0.0000%
316. Sprague's Pipit	0.0000%
317. Lapland Longspur	0.0000%

318. Lark Bunting	0.0000%
319. Harris's Sparrow	0.0000%
320. Prairie Warbler	0.0000%
321. Western Tanager	0.0000%
322. Painted Bunting	0.0000%
EXOTIC: PROVISIONAL	
323. Whooping Crane	0.1150% frequency
324. Mute Swan	0.0893%
EXOTIC: ESCAPEE	
Muscovy Duck	0.0112% frequency
Chukar	0.0056%
Helmeted Guineafowl	0.0022%
Egyptian Goose	0.0011%
Budgerigar	0.0011%
Emu	0.0000%
Whooper Swan	0.0000%
African Collared-Dove	0.0000%
Spotted Dove	0.0000%
Magpie Shrike	0.0000%
Northern Bobwhite	0.0000%
HYBRIDS	
Mallard x American Black Duck (hybrid)	0.0391% frequency

Brewster's Warbler (hybrid)	0.0201%
Golden-winged x Blue-winged Warbler (hybrid)	0.0134%
Lawrence's Warbler (hybrid)	0.0056%
Domestic goose sp. x Canada Goose (hybrid)	0.0033%
Northern Shoveler x Mallard (hybrid)	0.0011%
Mallard x Northern Pintail (hybrid)	0.0011%