



## Target Species

Based on 89,582 complete checklists

**324** species observed in Minnesota, US (region/US-MN) in Aug that you need for your **World Life List**

1. <b>Black-bellied Whistling-Duck</b>	<b>0.0123%</b> frequency
2. <b>Snow Goose</b>	<b>0.0391%</b>
3. <b>Ross's Goose</b>	<b>0.0100%</b>
4. <b>Greater White-fronted Goose</b>	<b>0.0424%</b>
5. <b>Cackling Goose</b>	<b>0.0056%</b>
6. <b>Canada Goose</b>	<b>21.97%</b>
7. <b>Trumpeter Swan</b>	<b>7.29%</b>
8. <b>Tundra Swan</b>	<b>0.0011%</b>
9. <b>Wood Duck</b>	<b>19.05%</b>
10. <b>Blue-winged Teal</b>	<b>6.21%</b>
11. <b>Northern Shoveler</b>	<b>1.04%</b>
12. <b>Gadwall</b>	<b>0.6095%</b>
13. <b>American Wigeon</b>	<b>0.2445%</b>
14. <b>Mallard</b>	<b>26.44%</b>
15. <b>American Black Duck</b>	<b>0.3684%</b>
16. <b>Northern Pintail</b>	<b>0.2501%</b>
17. <b>Green-winged Teal</b>	<b>1.06%</b>
18. <b>Canvasback</b>	<b>0.2579%</b>

19. Redhead	0.5347%
20. Ring-necked Duck	0.8216%
21. Greater Scaup	0.0078%
22. Lesser Scaup	0.2233%
23. Harlequin Duck	0.0112%
24. Bufflehead	0.1820%
25. Common Goldeneye	0.6262%
26. Hooded Merganser	3.19%
27. Common Merganser	1.05%
28. Red-breasted Merganser	0.1987%
29. Ruddy Duck	0.8395%
30. Wild Turkey	3.94%
31. Ruffed Grouse	0.5470%
32. Sharp-tailed Grouse	0.0681%
33. Greater Prairie-Chicken	0.0324%
34. Spruce Grouse	0.0335%
35. Gray Partridge	0.0636%
36. Ring-necked Pheasant	1.71%
37. Rock Pigeon	11.65%
38. Eurasian Collared-Dove	1.15%
39. White-winged Dove	0.0000%
40. Mourning Dove	28.36%
41. Yellow-billed Cuckoo	0.4487%

42. Black-billed Cuckoo	0.4577%
43. Common Nighthawk	3.94%
44. Eastern Whip-poor-will	0.0737%
45. Chimney Swift	7.30%
46. Ruby-throated Hummingbird	23.47%
47. Rufous Hummingbird	0.0000%
48. King Rail	0.0045%
49. Virginia Rail	0.6117%
50. Sora	1.64%
51. Common Gallinule	0.1373%
52. American Coot	1.52%
53. Yellow Rail	0.0067%
54. Sandhill Crane	6.15%
55. Black-necked Stilt	0.0301%
56. American Avocet	0.2065%
57. Black-bellied Plover	0.3416%
58. American Golden-Plover	0.2556%
59. Killdeer	13.15%
60. Semipalmated Plover	2.00%
61. Piping Plover	0.0134%
62. Snowy Plover	0.0000%
63. Upland Sandpiper	0.2009%
64. Whimbrel	0.0156%

65. Hudsonian Godwit	0.0547%
66. Marbled Godwit	0.1183%
67. Short-billed Dowitcher	0.8048%
68. Long-billed Dowitcher	0.0826%
69. American Woodcock	0.1384%
70. Wilson's Snipe	1.32%
71. Wilson's Phalarope	0.5972%
72. Red-necked Phalarope	0.9187%
73. Spotted Sandpiper	5.68%
74. Solitary Sandpiper	4.08%
75. Lesser Yellowlegs	6.80%
76. Willet	0.1362%
77. Greater Yellowlegs	3.05%
78. Ruddy Turnstone	0.0971%
79. Red Knot	0.0781%
80. Ruff	0.0223%
81. Stilt Sandpiper	2.04%
82. Buff-breasted Sandpiper	0.6932%
83. Sanderling	0.5515%
84. Dunlin	0.0346%
85. Baird's Sandpiper	2.03%
86. White-rumped Sandpiper	0.0860%
87. Least Sandpiper	6.19%

88. Pectoral Sandpiper	4.00%
89. Semipalmated Sandpiper	3.55%
90. Long-tailed Jaeger	0.0033%
91. Parasitic Jaeger	0.0301%
92. Little Gull	0.0000%
93. Sabine's Gull	0.0000%
94. Bonaparte's Gull	0.6050%
95. Black-headed Gull	0.0000%
96. Franklin's Gull	3.37%
97. Ring-billed Gull	21.30%
98. American Herring Gull	3.45%
99. Lesser Black-backed Gull	0.0134%
100. Slaty-backed Gull	0.0022%
101. Least Tern	0.0033%
102. Caspian Tern	1.12%
103. Black Tern	1.98%
104. Forster's Tern	0.7044%
105. Common Tern	0.4599%
106. Pied-billed Grebe	4.59%
107. Horned Grebe	0.1708%
108. Red-necked Grebe	0.6050%
109. Eared Grebe	0.3405%
110. Western Grebe	0.3695%

111. Clark's Grebe	0.0045%
112. Red-throated Loon	0.0022%
113. Pacific Loon	0.0022%
114. Common Loon	6.35%
115. Wood Stork	0.0279%
116. Brown Booby	0.0335%
117. Double-crested Cormorant	14.00%
118. Neotropic Cormorant	0.1920%
119. White-faced Ibis	0.0368%
120. Roseate Spoonbill	0.0592%
121. American Bittern	0.3181%
122. Least Bittern	0.2545%
123. Yellow-crowned Night Heron	0.1429%
124. Black-crowned Night Heron	0.6452%
125. Little Blue Heron	0.0346%
126. Tricolored Heron	0.0268%
127. Snowy Egret	0.0659%
128. Green Heron	12.34%
129. Western Cattle-Egret	0.0290%
130. Great Egret	11.28%
131. Great Blue Heron	18.17%
132. American White Pelican	5.73%
133. Black Vulture	0.0011%

134. Turkey Vulture	9.85%
135. Osprey	6.12%
136. White-tailed Kite	0.0000%
137. Swallow-tailed Kite	0.0212%
138. Sharp-shinned Hawk	0.9488%
139. Cooper's Hawk	3.94%
140. American Goshawk	0.0703%
141. Northern Harrier	2.79%
142. Bald Eagle	12.50%
143. Mississippi Kite	0.0380%
144. Broad-winged Hawk	3.48%
145. Red-shouldered Hawk	0.7892%
146. Swainson's Hawk	0.1395%
147. Red-tailed Hawk	8.29%
148. Rough-legged Hawk	0.0011%
149. Ferruginous Hawk	0.0011%
150. American Barn Owl	0.0000%
151. Eastern Screech-Owl	0.1027%
152. Great Horned Owl	0.8395%
153. Burrowing Owl	0.0000%
154. Barred Owl	1.14%
155. Great Gray Owl	0.0179%
156. Long-eared Owl	0.0056%

157. Short-eared Owl	0.0156%
158. Northern Saw-whet Owl	0.0089%
159. Belted Kingfisher	8.88%
160. Yellow-bellied Sapsucker	3.91%
161. Red-headed Woodpecker	1.30%
162. Red-bellied Woodpecker	13.69%
163. American Three-toed Woodpecker	0.0078%
164. Black-backed Woodpecker	0.1206%
165. Downy Woodpecker	31.48%
166. Hairy Woodpecker	18.80%
167. Pileated Woodpecker	8.08%
168. Northern Flicker	13.29%
169. American Kestrel	3.32%
170. Merlin	2.43%
171. Peregrine Falcon	0.8662%
172. Prairie Falcon	0.0179%
173. Olive-sided Flycatcher	2.97%
174. Western Wood-Pewee	0.0067%
175. Eastern Wood-Pewee	19.86%
176. Yellow-bellied Flycatcher	1.28%
177. Acadian Flycatcher	0.0982%
178. Alder Flycatcher	1.34%
179. Willow Flycatcher	0.9064%



180. Least Flycatcher	5.97%
181. Eastern Phoebe	10.27%
182. Say's Phoebe	0.0067%
183. Great Crested Flycatcher	8.74%
184. Western Kingbird	0.2121%
185. Eastern Kingbird	15.08%
186. Scissor-tailed Flycatcher	0.0022%
187. White-eyed Vireo	0.0033%
188. Bell's Vireo	0.0770%
189. Yellow-throated Vireo	4.19%
190. Blue-headed Vireo	0.7915%
191. Philadelphia Vireo	0.8205%
192. Warbling Vireo	5.00%
193. Red-eyed Vireo	17.96%
194. Loggerhead Shrike	0.0837%
195. Canada Jay	0.3952%
196. Blue Jay	41.67%
197. Black-billed Magpie	0.3148%
198. American Crow	39.77%
199. Common Raven	4.23%
200. Black-capped Chickadee	51.22%
201. Boreal Chickadee	0.1161%
202. Tufted Titmouse	0.2668%

203. <b>Horned Lark</b>	<b>1.00%</b>
204. <b>Bank Swallow</b>	<b>2.52%</b>
205. <b>Tree Swallow</b>	<b>11.20%</b>
206. <b>Purple Martin</b>	<b>3.94%</b>
207. <b>Northern Rough-winged Swallow</b>	<b>1.51%</b>
208. <b>Barn Swallow</b>	<b>26.34%</b>
209. <b>Cliff Swallow</b>	<b>5.36%</b>
210. <b>Ruby-crowned Kinglet</b>	<b>0.4543%</b>
211. <b>Golden-crowned Kinglet</b>	<b>0.5994%</b>
212. <b>White-breasted Nuthatch</b>	<b>31.45%</b>
213. <b>Red-breasted Nuthatch</b>	<b>9.50%</b>
214. <b>Brown Creeper</b>	<b>0.6430%</b>
215. <b>Blue-gray Gnatcatcher</b>	<b>4.23%</b>
216. <b>Northern House Wren</b>	<b>15.72%</b>
217. <b>Winter Wren</b>	<b>0.2567%</b>
218. <b>Sedge Wren</b>	<b>3.34%</b>
219. <b>Marsh Wren</b>	<b>2.20%</b>
220. <b>Carolina Wren</b>	<b>0.1038%</b>
221. <b>European Starling</b>	<b>9.33%</b>
222. <b>Gray Catbird</b>	<b>26.23%</b>
223. <b>Brown Thrasher</b>	<b>2.36%</b>
224. <b>Northern Mockingbird</b>	<b>0.0067%</b>
225. <b>Eastern Bluebird</b>	<b>6.74%</b>

226. <b>Veery</b>	<b>1.84%</b>
227. <b>Gray-cheeked Thrush</b>	<b>0.0659%</b>
228. <b>Swainson's Thrush</b>	<b>1.29%</b>
229. <b>Hermit Thrush</b>	<b>0.4543%</b>
230. <b>Wood Thrush</b>	<b>0.3293%</b>
231. <b>American Robin</b>	<b>33.45%</b>
232. <b>Cedar Waxwing</b>	<b>24.27%</b>
233. <b>House Sparrow</b>	<b>14.90%</b>
234. <b>Eurasian Tree Sparrow</b>	<b>0.0480%</b>
235. <b>American Pipit</b>	<b>0.0100%</b>
236. <b>Sprague's Pipit</b>	<b>0.0000%</b>
237. <b>Evening Grosbeak</b>	<b>0.1719%</b>
238. <b>House Finch</b>	<b>15.57%</b>
239. <b>Purple Finch</b>	<b>3.08%</b>
240. <b>Redpoll</b>	<b>0.0011%</b>
241. <b>Red Crossbill</b>	<b>0.5648%</b>
242. <b>White-winged Crossbill</b>	<b>0.1295%</b>
243. <b>Pine Siskin</b>	<b>0.8685%</b>
244. <b>American Goldfinch</b>	<b>53.27%</b>
245. <b>Lapland Longspur</b>	<b>0.0000%</b>
246. <b>Chestnut-collared Longspur</b>	<b>0.0022%</b>
247. <b>Smith's Longspur</b>	<b>0.0011%</b>
248. <b>Grasshopper Sparrow</b>	<b>0.5660%</b>

249. Chipping Sparrow	15.86%
250. Clay-colored Sparrow	2.31%
251. Field Sparrow	4.27%
252. Lark Sparrow	0.2646%
253. Lark Bunting	0.0000%
254. Fox Sparrow	0.0011%
255. Dark-eyed Junco	0.1987%
256. White-crowned Sparrow	0.0011%
257. Harris's Sparrow	0.0000%
258. White-throated Sparrow	4.20%
259. Vesper Sparrow	1.09%
260. LeConte's Sparrow	0.1351%
261. Nelson's Sparrow	0.0134%
262. Savannah Sparrow	1.92%
263. Henslow's Sparrow	0.1540%
264. Song Sparrow	28.53%
265. Lincoln's Sparrow	0.3974%
266. Swamp Sparrow	4.55%
267. Eastern Towhee	2.27%
268. Yellow-breasted Chat	0.0045%
269. Yellow-headed Blackbird	1.57%
270. Bobolink	1.10%
271. Western Meadowlark	0.7993%

272. Eastern Meadowlark	0.7055%
273. Orchard Oriole	0.7133%
274. Baltimore Oriole	10.63%
275. Red-winged Blackbird	17.94%
276. Brown-headed Cowbird	2.52%
277. Rusty Blackbird	0.0011%
278. Brewer's Blackbird	0.4008%
279. Common Grackle	10.37%
280. Great-tailed Grackle	0.0089%
281. Ovenbird	3.02%
282. Louisiana Waterthrush	0.0536%
283. Northern Waterthrush	2.50%
284. Golden-winged Warbler	2.75%
285. Blue-winged Warbler	0.7167%
286. Black-and-white Warbler	9.51%
287. Prothonotary Warbler	0.1451%
288. Tennessee Warbler	5.78%
289. Orange-crowned Warbler	0.0156%
290. Nashville Warbler	8.17%
291. Connecticut Warbler	0.2389%
292. Mourning Warbler	1.35%
293. Common Yellowthroat	15.22%
294. Hooded Warbler	0.0569%

295. American Redstart	15.26%
296. Cape May Warbler	1.20%
297. Cerulean Warbler	0.0112%
298. Northern Parula	1.08%
299. Magnolia Warbler	4.18%
300. Bay-breasted Warbler	1.28%
301. Blackburnian Warbler	3.03%
302. Yellow Warbler	8.55%
303. Chestnut-sided Warbler	6.75%
304. Blackpoll Warbler	0.4242%
305. Black-throated Blue Warbler	0.1295%
306. Palm Warbler	0.6329%
307. Pine Warbler	0.8350%
308. Yellow-rumped Warbler	2.75%
309. Yellow-throated Warbler	0.0045%
310. Prairie Warbler	0.0000%
311. Black-throated Green Warbler	1.55%
312. Canada Warbler	3.39%
313. Wilson's Warbler	2.70%
314. Summer Tanager	0.0536%
315. Scarlet Tanager	1.71%
316. Western Tanager	0.0000%
317. Northern Cardinal	30.42%

318. Rose-breasted Grosbeak	8.67%
319. Blue Grosbeak	0.4476%
320. Indigo Bunting	8.46%
321. Painted Bunting	0.0000%
322. Dickcissel	1.04%
<b>EXOTIC: PROVISIONAL</b>	
323. Mute Swan	0.0893% frequency
324. Whooping Crane	0.1150%
<b>EXOTIC: ESCAPEE</b>	
Emu	0.0000% frequency
Whooper Swan	0.0000%
Egyptian Goose	0.0011%
Muscovy Duck	0.0112%
Helmeted Guineafowl	0.0022%
Chukar	0.0056%
African Collared-Dove	0.0000%
Spotted Dove	0.0000%
Budgerigar	0.0011%
Magpie Shrike	0.0000%
Northern Bobwhite	0.0000%
<b>HYBRIDS</b>	
Domestic goose sp. x Canada Goose (hybrid)	0.0033% frequency

Northern Shoveler x Mallard (hybrid)	<b>0.0011%</b>
Mallard x American Black Duck (hybrid)	<b>0.0391%</b>
Mallard x Northern Pintail (hybrid)	<b>0.0011%</b>
Golden-winged x Blue-winged Warbler (hybrid)	<b>0.0134%</b>
Brewster's Warbler (hybrid)	<b>0.0201%</b>
Lawrence's Warbler (hybrid)	<b>0.0056%</b>