



Target Species

Based on 89,511 complete checklists

323 species observed in Minnesota, US (region/US-MN) in Jul that you need for your World Life List

1. American Robin	54.11% frequency
2. American Goldfinch	51.31%
3. Song Sparrow	45.09%
4. Black-capped Chickadee	43.20%
5. Red-winged Blackbird	42.34%
6. American Crow	37.62%
7. Common Yellowthroat	33.84%
8. Blue Jay	33.63%
9. Mourning Dove	31.18%
10. Northern Cardinal	31.04%
11. Barn Swallow	27.82%
12. Chipping Sparrow	26.60%
13. Northern House Wren	26.33%
14. Gray Catbird	26.20%
15. Downy Woodpecker	25.77%
16. White-breasted Nuthatch	25.40%
17. Mallard	21.91%
18. Cedar Waxwing	21.74%

19. Red-eyed Vireo	21.49%
20. Common Grackle	21.03%
21. Eastern Kingbird	19.77%
22. House Sparrow	19.05%
23. Tree Swallow	18.24%
24. House Finch	17.78%
25. Canada Goose	16.54%
26. Great Blue Heron	16.26%
27. Eastern Wood-Pewee	15.56%
28. Killdeer	15.26%
29. Indigo Bunting	14.90%
30. Yellow Warbler	14.87%
31. Wood Duck	14.69%
32. Brown-headed Cowbird	13.99%
33. Hairy Woodpecker	13.98%
34. Ruby-throated Hummingbird	13.60%
35. Northern Flicker	13.55%
36. Red-bellied Woodpecker	13.12%
37. Great Crested Flycatcher	13.11%
38. American Redstart	12.84%
39. Ring-billed Gull	12.25%
40. European Starling	12.21%
41. Baltimore Oriole	11.47%

42. Swamp Sparrow	11.38%
43. Turkey Vulture	10.42%
44. Eastern Bluebird	10.39%
45. Double-crested Cormorant	10.14%
46. Green Heron	10.01%
47. Bald Eagle	9.79%
48. Rose-breasted Grosbeak	9.61%
49. Rock Pigeon	9.60%
50. Great Egret	9.35%
51. Eastern Phoebe	9.31%
52. Common Loon	8.55%
53. Warbling Vireo	8.32%
54. Clay-colored Sparrow	8.26%
55. Sedge Wren	8.22%
56. Cliff Swallow	8.11%
57. Chimney Swift	7.95%
58. Field Sparrow	7.67%
59. Marsh Wren	6.95%
60. Red-tailed Hawk	6.88%
61. Dickcissel	6.81%
62. Veery	6.23%
63. Trumpeter Swan	6.12%
64. Belted Kingfisher	6.00%

65. Ovenbird	5.76%
66. Red-breasted Nuthatch	5.73%
67. Sandhill Crane	5.51%
68. American White Pelican	5.49%
69. Pileated Woodpecker	5.47%
70. Yellow-throated Vireo	5.46%
71. Savannah Sparrow	5.43%
72. Purple Martin	5.23%
73. Yellow-bellied Sapsucker	5.22%
74. Brown Thrasher	5.16%
75. Osprey	5.14%
76. White-throated Sparrow	5.03%
77. Least Flycatcher	4.51%
78. Spotted Sandpiper	4.51%
79. Wild Turkey	4.24%
80. Eastern Towhee	4.24%
81. Common Raven	3.83%
82. Northern Rough-winged Swallow	3.79%
83. Chestnut-sided Warbler	3.77%
84. Ring-necked Pheasant	3.58%
85. Hooded Merganser	3.57%
86. Black-and-white Warbler	3.56%
87. Black Tern	3.53%

88. American Kestrel	3.47%
89. Pied-billed Grebe	3.18%
90. Lesser Yellowlegs	3.13%
91. Blue-gray Gnatcatcher	3.11%
92. Orchard Oriole	3.08%
93. Least Sandpiper	3.07%
94. Bank Swallow	3.01%
95. Eastern Meadowlark	2.92%
96. Nashville Warbler	2.90%
97. Blue-winged Teal	2.89%
98. Vesper Sparrow	2.88%
99. Scarlet Tanager	2.86%
100. Grasshopper Sparrow	2.81%
101. Bobolink	2.79%
102. Yellow-headed Blackbird	2.79%
103. Broad-winged Hawk	2.77%
104. Purple Finch	2.75%
105. American Herring Gull	2.55%
106. Cooper's Hawk	2.48%
107. Solitary Sandpiper	2.27%
108. Northern Harrier	2.19%
109. Wood Thrush	2.18%
110. Yellow-rumped Warbler	2.06%

111. Willow Flycatcher	2.04%
112. Western Meadowlark	2.04%
113. Hermit Thrush	1.92%
114. Pectoral Sandpiper	1.89%
115. Alder Flycatcher	1.82%
116. Black-throated Green Warbler	1.60%
117. Horned Lark	1.59%
118. Mourning Warbler	1.55%
119. American Coot	1.44%
120. Franklin's Gull	1.42%
121. Red-headed Woodpecker	1.40%
122. Sora	1.34%
123. Pine Warbler	1.31%
124. Merlin	1.31%
125. Ruddy Duck	1.24%
126. Wilson's Snipe	1.24%
127. Greater Yellowlegs	1.21%
128. Eurasian Collared-Dove	1.21%
129. Black-billed Cuckoo	1.20%
130. Blackburnian Warbler	1.17%
131. Winter Wren	1.14%
132. Ring-necked Duck	1.12%
133. Common Nighthawk	1.07%

134. Northern Parula	1.05%
135. Semipalmated Sandpiper	1.05%
136. Brewer's Blackbird	1.04%
137. Magnolia Warbler	1.04%
138. Common Merganser	1.01%
139. Barred Owl	1.01%
140. Virginia Rail	0.9250%
141. Lark Sparrow	0.9183%
142. Henslow's Sparrow	0.7664%
143. Forster's Tern	0.7630%
144. Golden-winged Warbler	0.7508%
145. Redhead	0.7250%
146. Ruffed Grouse	0.7239%
147. Short-billed Dowitcher	0.7116%
148. Yellow-billed Cuckoo	0.7049%
149. Golden-crowned Kinglet	0.7038%
150. Pine Siskin	0.7016%
151. Gadwall	0.6815%
152. Common Goldeneye	0.6815%
153. Red-shouldered Hawk	0.6815%
154. Blue-headed Vireo	0.6513%
155. Canada Warbler	0.6357%
156. Common Tern	0.6234%

157. Stilt Sandpiper	0.6156%
158. Red-necked Grebe	0.5999%
159. Swainson's Thrush	0.5955%
160. LeConte's Sparrow	0.5798%
161. Black-crowned Night Heron	0.5619%
162. Baird's Sandpiper	0.5608%
163. Northern Shoveler	0.5519%
164. Peregrine Falcon	0.5519%
165. Great Horned Owl	0.5508%
166. Green-winged Teal	0.5463%
167. Blue Grosbeak	0.5385%
168. Western Kingbird	0.5217%
169. Black-billed Magpie	0.5184%
170. Wilson's Phalarope	0.5150%
171. Semipalmated Plover	0.5016%
172. American Bittern	0.4949%
173. Brown Creeper	0.4893%
174. Upland Sandpiper	0.4547%
175. Least Bittern	0.4379%
176. Caspian Tern	0.4335%
177. Tennessee Warbler	0.4290%
178. Blue-winged Warbler	0.4189%
179. Acadian Flycatcher	0.4145%

180. Yellow-bellied Flycatcher	0.4022%
181. Canada Jay	0.3765%
182. Western Grebe	0.3597%
183. Tufted Titmouse	0.3586%
184. Lincoln's Sparrow	0.3586%
185. Dark-eyed Junco	0.3296%
186. Red Crossbill	0.3028%
187. Canvasback	0.2972%
188. Northern Waterthrush	0.2972%
189. Ruby-crowned Kinglet	0.2949%
190. Bell's Vireo	0.2681%
191. Loggerhead Shrike	0.2581%
192. Prothonotary Warbler	0.2547%
193. Lesser Scaup	0.2514%
194. Common Gallinule	0.2480%
195. Neotropic Cormorant	0.2436%
196. Red-breasted Merganser	0.2324%
197. Eared Grebe	0.2134%
198. Eastern Whip-poor-will	0.2089%
199. Cape May Warbler	0.2033%
200. Olive-sided Flycatcher	0.1977%
201. American Woodcock	0.1855%
202. Sharp-shinned Hawk	0.1776%

203. Palm Warbler	0.1776%
204. Marbled Godwit	0.1743%
205. Connecticut Warbler	0.1743%
206. American Black Duck	0.1698%
207. Swainson's Hawk	0.1642%
208. Hooded Warbler	0.1631%
209. Boreal Chickadee	0.1620%
210. Northern Pintail	0.1609%
211. Black-throated Blue Warbler	0.1553%
212. American Wigeon	0.1497%
213. American Avocet	0.1497%
214. Evening Grosbeak	0.1397%
215. Red-necked Phalarope	0.1352%
216. White-winged Crossbill	0.1296%
217. Philadelphia Vireo	0.1207%
218. Clark's Grebe	0.1195%
219. Bonaparte's Gull	0.1162%
220. Black-backed Woodpecker	0.1162%
221. Yellow-breasted Chat	0.1162%
222. Louisiana Waterthrush	0.1139%
223. Eurasian Tree Sparrow	0.1084%
224. Sharp-tailed Grouse	0.1061%
225. Bufflehead	0.0994%

226. Willet	0.0961%
227. Buff-breasted Sandpiper	0.0938%
228. Sanderling	0.0883%
229. Black-necked Stilt	0.0782%
230. Cerulean Warbler	0.0782%
231. Yellow-throated Warbler	0.0749%
232. Greater Prairie-Chicken	0.0726%
233. Gray Partridge	0.0715%
234. American Goshawk	0.0670%
235. Bay-breasted Warbler	0.0670%
236. Acorn Woodpecker	0.0614%
237. Summer Tanager	0.0603%
238. Snow Goose	0.0570%
239. Tropical Kingbird	0.0570%
240. Nelson's Sparrow	0.0536%
241. Greater White-fronted Goose	0.0480%
242. Spruce Grouse	0.0480%
243. Yellow-crowned Night Heron	0.0469%
244. Eastern Screech-Owl	0.0469%
245. Carolina Wren	0.0458%
246. Wilson's Warbler	0.0447%
247. Say's Phoebe	0.0436%
248. Yellow Rail	0.0424%

249. Western Cattle-Egret	0.0402%
250. Limpkin	0.0369%
251. Parasitic Jaeger	0.0369%
252. Snowy Egret	0.0358%
253. King Rail	0.0346%
254. Great Gray Owl	0.0335%
255. Whimbrel	0.0302%
256. Black-bellied Whistling-Duck	0.0291%
257. American Golden-Plover	0.0279%
258. Great-tailed Grackle	0.0246%
259. Northern Mockingbird	0.0235%
260. Horned Grebe	0.0223%
261. White-faced Ibis	0.0212%
262. Ruddy Turnstone	0.0190%
263. Chestnut-collared Longspur	0.0168%
264. Short-eared Owl	0.0156%
265. American Three-toed Woodpecker	0.0156%
266. Black-bellied Plover	0.0134%
267. White-rumped Sandpiper	0.0134%
268. Long-eared Owl	0.0134%
269. Red-throated Loon	0.0112%
270. Pacific Loon	0.0112%
271. Harlequin Duck	0.0100%

272. Scissor-tailed Flycatcher	0.0100%
273. Long-billed Dowitcher	0.0089%
274. Dunlin	0.0089%
275. Lesser Black-backed Gull	0.0078%
276. Northern Saw-whet Owl	0.0078%
277. White-eyed Vireo	0.0078%
278. Tundra Swan	0.0067%
279. Hudsonian Godwit	0.0045%
280. Greater Scaup	0.0033%
281. Piping Plover	0.0033%
282. Long-billed Curlew	0.0033%
283. Ruff	0.0033%
284. Western Wood-Pewee	0.0033%
285. Long-tailed Duck	0.0022%
286. Rufous Hummingbird	0.0022%
287. Laughing Gull	0.0022%
288. California Gull	0.0022%
289. Least Tern	0.0022%
290. Northern Hawk Owl	0.0022%
291. Prairie Falcon	0.0022%
292. White-crowned Sparrow	0.0022%
293. Prairie Warbler	0.0022%
294. Black Scoter	0.0011%

295. Northern Bobwhite	0.0011%
296. Broad-billed Hummingbird	0.0011%
297. Snowy Plover	0.0011%
298. Red Knot	0.0011%
299. Slaty-backed Gull	0.0011%
300. Arctic Tern	0.0011%
301. Brown Pelican	0.0011%
302. Rough-legged Hawk	0.0011%
303. American Barn Owl	0.0011%
304. Bewick's Wren	0.0011%
305. American Pipit	0.0011%
306. Harris's Sparrow	0.0011%
307. Blackpoll Warbler	0.0011%
308. Surf Scoter	0.0000%
309. Passenger Pigeon	0.0000%
310. White-winged Dove	0.0000%
311. Little Blue Heron	0.0000%
312. Tricolored Heron	0.0000%
313. Ferruginous Hawk	0.0000%
314. Burrowing Owl	0.0000%
315. Boreal Owl	0.0000%
316. Mountain Bluebird	0.0000%
317. Sprague's Pipit	0.0000%

318. Baird's Sparrow	0.0000%
319. Kentucky Warbler	0.0000%
320. Painted Bunting	0.0000%
EXOTIC: PROVISIONAL	
321. Mute Swan	0.1006% frequency
322. Abert's Towhee	0.0223%
323. Whooping Crane	0.0156%
EXOTIC: ESCAPEE	
Chukar	0.0067% frequency
Budgerigar	0.0056%
Muscovy Duck	0.0033%
Helmeted Guineafowl	0.0011%
Indian Peafowl	0.0011%
African Collared-Dove	0.0000%
HYBRIDS	
Mallard x American Black Duck (hybrid)	0.0201% frequency
Brewster's Warbler (hybrid)	0.0056%
Golden-winged x Blue-winged Warbler (hybrid)	0.0033%
Northern Shoveler x Mallard (hybrid)	0.0011%
Western x Clark's Grebe (hybrid)	0.0011%
Spotted x Eastern Towhee (hybrid)	0.0011%
Western x Eastern Kingbird (hybrid)	0.0000%

Lawrence's Warbler (hybrid)

0.0000%