



## Target Species

Based on 89,511 complete checklists

**323** species observed in Minnesota, US (region/US-MN) in Jul that you need for your World Life List

1. <b>Black-bellied Whistling-Duck</b>	<b>0.0291%</b> frequency
2. <b>Snow Goose</b>	<b>0.0570%</b>
3. <b>Greater White-fronted Goose</b>	<b>0.0480%</b>
4. <b>Canada Goose</b>	<b>16.54%</b>
5. <b>Trumpeter Swan</b>	<b>6.12%</b>
6. <b>Tundra Swan</b>	<b>0.0067%</b>
7. <b>Wood Duck</b>	<b>14.69%</b>
8. <b>Blue-winged Teal</b>	<b>2.89%</b>
9. <b>Northern Shoveler</b>	<b>0.5519%</b>
10. <b>Gadwall</b>	<b>0.6815%</b>
11. <b>American Wigeon</b>	<b>0.1497%</b>
12. <b>Mallard</b>	<b>21.91%</b>
13. <b>American Black Duck</b>	<b>0.1698%</b>
14. <b>Northern Pintail</b>	<b>0.1609%</b>
15. <b>Green-winged Teal</b>	<b>0.5463%</b>
16. <b>Canvasback</b>	<b>0.2972%</b>
17. <b>Redhead</b>	<b>0.7250%</b>
18. <b>Ring-necked Duck</b>	<b>1.12%</b>

19. Greater Scaup	0.0033%
20. Lesser Scaup	0.2514%
21. Harlequin Duck	0.0100%
22. Surf Scoter	0.0000%
23. Black Scoter	0.0011%
24. Long-tailed Duck	0.0022%
25. Bufflehead	0.0994%
26. Common Goldeneye	0.6815%
27. Hooded Merganser	3.57%
28. Common Merganser	1.01%
29. Red-breasted Merganser	0.2324%
30. Ruddy Duck	1.24%
31. Northern Bobwhite	0.0011%
32. Wild Turkey	4.24%
33. Ruffed Grouse	0.7239%
34. Sharp-tailed Grouse	0.1061%
35. Greater Prairie-Chicken	0.0726%
36. Spruce Grouse	0.0480%
37. Gray Partridge	0.0715%
38. Ring-necked Pheasant	3.58%
39. Rock Pigeon	9.60%
40. Passenger Pigeon	0.0000%
41. Eurasian Collared-Dove	1.21%

42. White-winged Dove	0.0000%
43. Mourning Dove	31.18%
44. Yellow-billed Cuckoo	0.7049%
45. Black-billed Cuckoo	1.20%
46. Common Nighthawk	1.07%
47. Eastern Whip-poor-will	0.2089%
48. Chimney Swift	7.95%
49. Ruby-throated Hummingbird	13.60%
50. Rufous Hummingbird	0.0022%
51. Broad-billed Hummingbird	0.0011%
52. King Rail	0.0346%
53. Virginia Rail	0.9250%
54. Sora	1.34%
55. Common Gallinule	0.2480%
56. American Coot	1.44%
57. Yellow Rail	0.0424%
58. Limpkin	0.0369%
59. Sandhill Crane	5.51%
60. Black-necked Stilt	0.0782%
61. American Avocet	0.1497%
62. Black-bellied Plover	0.0134%
63. American Golden-Plover	0.0279%
64. Killdeer	15.26%

65. Semipalmated Plover	0.5016%
66. Piping Plover	0.0033%
67. Snowy Plover	0.0011%
68. Upland Sandpiper	0.4547%
69. Whimbrel	0.0302%
70. Long-billed Curlew	0.0033%
71. Hudsonian Godwit	0.0045%
72. Marbled Godwit	0.1743%
73. Short-billed Dowitcher	0.7116%
74. Long-billed Dowitcher	0.0089%
75. American Woodcock	0.1855%
76. Wilson's Snipe	1.24%
77. Wilson's Phalarope	0.5150%
78. Red-necked Phalarope	0.1352%
79. Spotted Sandpiper	4.51%
80. Solitary Sandpiper	2.27%
81. Lesser Yellowlegs	3.13%
82. Willet	0.0961%
83. Greater Yellowlegs	1.21%
84. Ruddy Turnstone	0.0190%
85. Red Knot	0.0011%
86. Ruff	0.0033%
87. Stilt Sandpiper	0.6156%

88. <b>Buff-breasted Sandpiper</b>	<b>0.0938%</b>
89. <b>Sanderling</b>	<b>0.0883%</b>
90. <b>Dunlin</b>	<b>0.0089%</b>
91. <b>Baird's Sandpiper</b>	<b>0.5608%</b>
92. <b>White-rumped Sandpiper</b>	<b>0.0134%</b>
93. <b>Least Sandpiper</b>	<b>3.07%</b>
94. <b>Pectoral Sandpiper</b>	<b>1.89%</b>
95. <b>Semipalmated Sandpiper</b>	<b>1.05%</b>
96. <b>Parasitic Jaeger</b>	<b>0.0369%</b>
97. <b>Bonaparte's Gull</b>	<b>0.1162%</b>
98. <b>Laughing Gull</b>	<b>0.0022%</b>
99. <b>Franklin's Gull</b>	<b>1.42%</b>
100. <b>Ring-billed Gull</b>	<b>12.25%</b>
101. <b>American Herring Gull</b>	<b>2.55%</b>
102. <b>Lesser Black-backed Gull</b>	<b>0.0078%</b>
103. <b>California Gull</b>	<b>0.0022%</b>
104. <b>Slaty-backed Gull</b>	<b>0.0011%</b>
105. <b>Least Tern</b>	<b>0.0022%</b>
106. <b>Caspian Tern</b>	<b>0.4335%</b>
107. <b>Black Tern</b>	<b>3.53%</b>
108. <b>Forster's Tern</b>	<b>0.7630%</b>
109. <b>Arctic Tern</b>	<b>0.0011%</b>
110. <b>Common Tern</b>	<b>0.6234%</b>

111. Pied-billed Grebe	3.18%
112. Horned Grebe	0.0223%
113. Red-necked Grebe	0.5999%
114. Eared Grebe	0.2134%
115. Western Grebe	0.3597%
116. Clark's Grebe	0.1195%
117. Red-throated Loon	0.0112%
118. Pacific Loon	0.0112%
119. Common Loon	8.55%
120. Double-crested Cormorant	10.14%
121. Neotropic Cormorant	0.2436%
122. White-faced Ibis	0.0212%
123. American Bittern	0.4949%
124. Least Bittern	0.4379%
125. Yellow-crowned Night Heron	0.0469%
126. Black-crowned Night Heron	0.5619%
127. Little Blue Heron	0.0000%
128. Tricolored Heron	0.0000%
129. Snowy Egret	0.0358%
130. Green Heron	10.01%
131. Western Cattle-Egret	0.0402%
132. Great Egret	9.35%
133. Great Blue Heron	16.26%

134. American White Pelican	5.49%
135. Brown Pelican	0.0011%
136. Turkey Vulture	10.42%
137. Osprey	5.14%
138. Sharp-shinned Hawk	0.1776%
139. Cooper's Hawk	2.48%
140. American Goshawk	0.0670%
141. Northern Harrier	2.19%
142. Bald Eagle	9.79%
143. Broad-winged Hawk	2.77%
144. Red-shouldered Hawk	0.6815%
145. Swainson's Hawk	0.1642%
146. Red-tailed Hawk	6.88%
147. Rough-legged Hawk	0.0011%
148. Ferruginous Hawk	0.0000%
149. American Barn Owl	0.0011%
150. Eastern Screech-Owl	0.0469%
151. Great Horned Owl	0.5508%
152. Northern Hawk Owl	0.0022%
153. Burrowing Owl	0.0000%
154. Barred Owl	1.01%
155. Great Gray Owl	0.0335%
156. Long-eared Owl	0.0134%

157. Short-eared Owl	0.0156%
158. Boreal Owl	0.0000%
159. Northern Saw-whet Owl	0.0078%
160. Belted Kingfisher	6.00%
161. Yellow-bellied Sapsucker	5.22%
162. Red-headed Woodpecker	1.40%
163. Acorn Woodpecker	0.0614%
164. Red-bellied Woodpecker	13.12%
165. American Three-toed Woodpecker	0.0156%
166. Black-backed Woodpecker	0.1162%
167. Downy Woodpecker	25.77%
168. Hairy Woodpecker	13.98%
169. Pileated Woodpecker	5.47%
170. Northern Flicker	13.55%
171. American Kestrel	3.47%
172. Merlin	1.31%
173. Peregrine Falcon	0.5519%
174. Prairie Falcon	0.0022%
175. Olive-sided Flycatcher	0.1977%
176. Western Wood-Pewee	0.0033%
177. Eastern Wood-Pewee	15.56%
178. Yellow-bellied Flycatcher	0.4022%
179. Acadian Flycatcher	0.4145%



180. Alder Flycatcher	1.82%
181. Willow Flycatcher	2.04%
182. Least Flycatcher	4.51%
183. Eastern Phoebe	9.31%
184. Say's Phoebe	0.0436%
185. Great Crested Flycatcher	13.11%
186. Tropical Kingbird	0.0570%
187. Western Kingbird	0.5217%
188. Eastern Kingbird	19.77%
189. Scissor-tailed Flycatcher	0.0100%
190. White-eyed Vireo	0.0078%
191. Bell's Vireo	0.2681%
192. Yellow-throated Vireo	5.46%
193. Blue-headed Vireo	0.6513%
194. Philadelphia Vireo	0.1207%
195. Warbling Vireo	8.32%
196. Red-eyed Vireo	21.49%
197. Loggerhead Shrike	0.2581%
198. Canada Jay	0.3765%
199. Blue Jay	33.63%
200. Black-billed Magpie	0.5184%
201. American Crow	37.62%
202. Common Raven	3.83%

203. <b>Black-capped Chickadee</b>	<b>43.20%</b>
204. <b>Boreal Chickadee</b>	<b>0.1620%</b>
205. <b>Tufted Titmouse</b>	<b>0.3586%</b>
206. <b>Horned Lark</b>	<b>1.59%</b>
207. <b>Bank Swallow</b>	<b>3.01%</b>
208. <b>Tree Swallow</b>	<b>18.24%</b>
209. <b>Purple Martin</b>	<b>5.23%</b>
210. <b>Northern Rough-winged Swallow</b>	<b>3.79%</b>
211. <b>Barn Swallow</b>	<b>27.82%</b>
212. <b>Cliff Swallow</b>	<b>8.11%</b>
213. <b>Ruby-crowned Kinglet</b>	<b>0.2949%</b>
214. <b>Golden-crowned Kinglet</b>	<b>0.7038%</b>
215. <b>White-breasted Nuthatch</b>	<b>25.40%</b>
216. <b>Red-breasted Nuthatch</b>	<b>5.73%</b>
217. <b>Brown Creeper</b>	<b>0.4893%</b>
218. <b>Blue-gray Gnatcatcher</b>	<b>3.11%</b>
219. <b>Northern House Wren</b>	<b>26.33%</b>
220. <b>Winter Wren</b>	<b>1.14%</b>
221. <b>Sedge Wren</b>	<b>8.22%</b>
222. <b>Marsh Wren</b>	<b>6.95%</b>
223. <b>Carolina Wren</b>	<b>0.0458%</b>
224. <b>Bewick's Wren</b>	<b>0.0011%</b>
225. <b>European Starling</b>	<b>12.21%</b>

226. <b>Gray Catbird</b>	<b>26.20%</b>
227. <b>Brown Thrasher</b>	<b>5.16%</b>
228. <b>Northern Mockingbird</b>	<b>0.0235%</b>
229. <b>Eastern Bluebird</b>	<b>10.39%</b>
230. <b>Mountain Bluebird</b>	<b>0.0000%</b>
231. <b>Veery</b>	<b>6.23%</b>
232. <b>Swainson's Thrush</b>	<b>0.5955%</b>
233. <b>Hermit Thrush</b>	<b>1.92%</b>
234. <b>Wood Thrush</b>	<b>2.18%</b>
235. <b>American Robin</b>	<b>54.11%</b>
236. <b>Cedar Waxwing</b>	<b>21.74%</b>
237. <b>House Sparrow</b>	<b>19.05%</b>
238. <b>Eurasian Tree Sparrow</b>	<b>0.1084%</b>
239. <b>American Pipit</b>	<b>0.0011%</b>
240. <b>Sprague's Pipit</b>	<b>0.0000%</b>
241. <b>Evening Grosbeak</b>	<b>0.1397%</b>
242. <b>House Finch</b>	<b>17.78%</b>
243. <b>Purple Finch</b>	<b>2.75%</b>
244. <b>Red Crossbill</b>	<b>0.3028%</b>
245. <b>White-winged Crossbill</b>	<b>0.1296%</b>
246. <b>Pine Siskin</b>	<b>0.7016%</b>
247. <b>American Goldfinch</b>	<b>51.31%</b>
248. <b>Chestnut-collared Longspur</b>	<b>0.0168%</b>

249. Grasshopper Sparrow	2.81%
250. Chipping Sparrow	26.60%
251. Clay-colored Sparrow	8.26%
252. Field Sparrow	7.67%
253. Lark Sparrow	0.9183%
254. Dark-eyed Junco	0.3296%
255. White-crowned Sparrow	0.0022%
256. Harris's Sparrow	0.0011%
257. White-throated Sparrow	5.03%
258. Vesper Sparrow	2.88%
259. LeConte's Sparrow	0.5798%
260. Nelson's Sparrow	0.0536%
261. Savannah Sparrow	5.43%
262. Baird's Sparrow	0.0000%
263. Henslow's Sparrow	0.7664%
264. Song Sparrow	45.09%
265. Lincoln's Sparrow	0.3586%
266. Swamp Sparrow	11.38%
267. Eastern Towhee	4.24%
268. Yellow-breasted Chat	0.1162%
269. Yellow-headed Blackbird	2.79%
270. Bobolink	2.79%
271. Western Meadowlark	2.04%

272. Eastern Meadowlark	2.92%
273. Orchard Oriole	3.08%
274. Baltimore Oriole	11.47%
275. Red-winged Blackbird	42.34%
276. Brown-headed Cowbird	13.99%
277. Brewer's Blackbird	1.04%
278. Common Grackle	21.03%
279. Great-tailed Grackle	0.0246%
280. Ovenbird	5.76%
281. Louisiana Waterthrush	0.1139%
282. Northern Waterthrush	0.2972%
283. Golden-winged Warbler	0.7508%
284. Blue-winged Warbler	0.4189%
285. Black-and-white Warbler	3.56%
286. Prothonotary Warbler	0.2547%
287. Tennessee Warbler	0.4290%
288. Nashville Warbler	2.90%
289. Connecticut Warbler	0.1743%
290. Mourning Warbler	1.55%
291. Kentucky Warbler	0.0000%
292. Common Yellowthroat	33.84%
293. Hooded Warbler	0.1631%
294. American Redstart	12.84%

295. Cape May Warbler	0.2033%
296. Cerulean Warbler	0.0782%
297. Northern Parula	1.05%
298. Magnolia Warbler	1.04%
299. Bay-breasted Warbler	0.0670%
300. Blackburnian Warbler	1.17%
301. Yellow Warbler	14.87%
302. Chestnut-sided Warbler	3.77%
303. Blackpoll Warbler	0.0011%
304. Black-throated Blue Warbler	0.1553%
305. Palm Warbler	0.1776%
306. Pine Warbler	1.31%
307. Yellow-rumped Warbler	2.06%
308. Yellow-throated Warbler	0.0749%
309. Prairie Warbler	0.0022%
310. Black-throated Green Warbler	1.60%
311. Canada Warbler	0.6357%
312. Wilson's Warbler	0.0447%
313. Summer Tanager	0.0603%
314. Scarlet Tanager	2.86%
315. Northern Cardinal	31.04%
316. Rose-breasted Grosbeak	9.61%
317. Blue Grosbeak	0.5385%

318. Indigo Bunting	<b>14.90%</b>
319. Painted Bunting	<b>0.0000%</b>
320. Dickcissel	<b>6.81%</b>
<b>EXOTIC: PROVISIONAL</b>	
321. Mute Swan	<b>0.1006%</b> frequency
322. Whooping Crane	<b>0.0156%</b>
323. Abert's Towhee	<b>0.0223%</b>
<b>EXOTIC: ESCAPEE</b>	
Muscovy Duck	<b>0.0033%</b> frequency
Helmeted Guineafowl	<b>0.0011%</b>
Indian Peafowl	<b>0.0011%</b>
Chukar	<b>0.0067%</b>
African Collared-Dove	<b>0.0000%</b>
Budgerigar	<b>0.0056%</b>
<b>HYBRIDS</b>	
Northern Shoveler x Mallard (hybrid)	<b>0.0011%</b> frequency
Mallard x American Black Duck (hybrid)	<b>0.0201%</b>
Western x Clark's Grebe (hybrid)	<b>0.0011%</b>
Western x Eastern Kingbird (hybrid)	<b>0.0000%</b>
Spotted x Eastern Towhee (hybrid)	<b>0.0011%</b>
Golden-winged x Blue-winged Warbler (hybrid)	<b>0.0033%</b>
Brewster's Warbler (hybrid)	<b>0.0056%</b>

---

Lawrence's Warbler (hybrid)

**0.0000%**