



## Target Species
























Based on 108,581 complete checklists

**348** species observed in Minnesota, US (region/US-MN) in Jun that you need for your **World Life List**

1. American Robin	59.23% frequency
2. Red-winged Blackbird	50.84%
3. Song Sparrow	44.42%
4. American Goldfinch	40.33%
5. American Crow	37.65%
6. Common Yellowthroat	37.50%
7. Black-capped Chickadee	34.88%
8. Blue Jay	34.06%
9. Common Grackle	31.45%
10. Northern Cardinal	29.23%
11. Red-eyed Vireo	28.97%
12. Yellow Warbler	28.56%
13. Gray Catbird	27.97%
14. Mourning Dove	27.87%
15. Northern House Wren	27.03%
16. Brown-headed Cowbird	26.90%
17. Chipping Sparrow	26.89%
18. Tree Swallow	26.52%

19. Mallard	25.44%
20. Barn Swallow	23.64%
21. Baltimore Oriole	22.79%
22. American Redstart	21.73%
23. Canada Goose	20.98%
24. Great Crested Flycatcher	19.78%
25. Downy Woodpecker	19.75%
26. White-breasted Nuthatch	19.35%
27. Cedar Waxwing	19.27%
28. Eastern Wood-Pewee	19.16%
29. Eastern Kingbird	17.48%
30. Red-bellied Woodpecker	17.31%
31. House Sparrow	16.95%
32. European Starling	15.67%
33. Great Blue Heron	15.62%
34. Indigo Bunting	15.10%
35. Rose-breasted Grosbeak	15.04%
36. House Finch	14.90%
37. Killdeer	14.45%
38. Ovenbird	14.44%
39. Warbling Vireo	14.10%
40. Hairy Woodpecker	13.89%
41. Wood Duck	13.46%

42. Ruby-throated Hummingbird	13.05%
43. Northern Flicker	12.86%
44. Turkey Vulture	11.97%
45. Veery	11.55%
46. Eastern Bluebird	11.52%
47. Swamp Sparrow	10.52%
48. Clay-colored Sparrow	10.02%
49. Ring-billed Gull	9.20%
50. Least Flycatcher	9.18%
51. Chestnut-sided Warbler	9.10%
52. Bald Eagle	8.88%
53. Eastern Phoebe	8.75%
54. Rock Pigeon	8.59%
55. Double-crested Cormorant	8.58%
56. Field Sparrow	8.22%
57. Chimney Swift	8.16%
58. Yellow-throated Vireo	8.09%
59. Brown Thrasher	8.00%
60. Ring-necked Pheasant	7.96%
61. Pileated Woodpecker	7.72%
62. Common Loon	7.54%
63. Sedge Wren	7.41%
64. White-throated Sparrow	7.37%

65. <b>Great Egret</b>	<b>7.35%</b> 
66. <b>Dickcissel</b>	<b>7.33%</b> 
67. <b>Trumpeter Swan</b>	<b>7.32%</b> 
68. <b>Bobolink</b>	<b>7.21%</b> 
69. <b>Green Heron</b>	<b>7.14%</b> 
70. <b>Black-and-white Warbler</b>	<b>6.99%</b> 
71. <b>Nashville Warbler</b>	<b>6.81%</b> 
72. <b>Cliff Swallow</b>	<b>6.79%</b> 
73. <b>Savannah Sparrow</b>	<b>6.62%</b> 
74. <b>Red-tailed Hawk</b>	<b>6.54%</b> 
75. <b>Yellow-bellied Sapsucker</b>	<b>6.33%</b> 
76. <b>Sandhill Crane</b>	<b>6.01%</b> 
77. <b>Alder Flycatcher</b>	<b>5.94%</b> 
78. <b>Marsh Wren</b>	<b>5.90%</b> 
79. <b>Red-breasted Nuthatch</b>	<b>5.76%</b> 
80. <b>Blue-winged Teal</b>	<b>5.50%</b> 
81. <b>Common Raven</b>	<b>5.22%</b> 
82. <b>Wild Turkey</b>	<b>5.15%</b> 
83. <b>Eastern Towhee</b>	<b>4.97%</b> 
84. <b>Yellow-headed Blackbird</b>	<b>4.90%</b> 
85. <b>Scarlet Tanager</b>	<b>4.83%</b> 
86. <b>American White Pelican</b>	<b>4.72%</b> 
87. <b>Eastern Meadowlark</b>	<b>4.60%</b> 

88. Northern Rough-winged Swallow	4.17%
89. Osprey	4.14%
90. Belted Kingfisher	4.07%
91. Blue-gray Gnatcatcher	4.05%
92. Mourning Warbler	4.01%
93. Hooded Merganser	4.00%
94. Orchard Oriole	3.84%
95. Grasshopper Sparrow	3.78%
96. Black Tern	3.45%
97. Wood Thrush	3.41%
98. Yellow-rumped Warbler	3.35%
99. Purple Martin	3.31%
100. Willow Flycatcher	3.20%
101. Blackburnian Warbler	3.19%
102. Vesper Sparrow	3.11%
103. Spotted Sandpiper	3.11%
104. Broad-winged Hawk	3.07%
105. Black-throated Green Warbler	3.01%
106. Purple Finch	2.90%
107. Western Meadowlark	2.88%
108. American Kestrel	2.76%
109. Golden-winged Warbler	2.75%
110. Pied-billed Grebe	2.73%

111. Hermit Thrush	2.72%
112. Northern Parula	2.60%
113. Northern Harrier	2.57%
114. Bank Swallow	2.52%
115. Magnolia Warbler	2.51%
116. Wilson's Snipe	2.45%
117. Blue-winged Warbler	2.44%
118. American Herring Gull	2.43%
119. Ring-necked Duck	2.30%
120. Pine Warbler	2.15%
121. Cooper's Hawk	2.00%
122. Black-billed Cuckoo	1.99%
123. Sora	1.94%
124. Ruffed Grouse	1.93%
125. Winter Wren	1.88%
126. Canada Warbler	1.84%
127. Horned Lark	1.79%
128. American Coot	1.75%
129. Brewer's Blackbird	1.71%
130. Yellow-bellied Flycatcher	1.61%
131. Northern Shoveler	1.48%
132. Lark Sparrow	1.44%
133. Blue-headed Vireo	1.44%

134. Ruddy Duck	1.41%
135. Yellow-billed Cuckoo	1.40%
136. Henslow's Sparrow	1.36%
137. Red-headed Woodpecker	1.33%
138. Ruby-crowned Kinglet	1.33%
139. Common Nighthawk	1.29%
140. Barred Owl	1.25%
141. Golden-crowned Kinglet	1.22%
142. Redhead	1.17%
143. Pine Siskin	1.16%
144. Swainson's Thrush	1.14%
145. Gadwall	1.13%
146. Eurasian Collared-Dove	1.11%
147. Northern Waterthrush	1.07%
148. Black-billed Magpie	1.07%
149. Virginia Rail	1.02%
150. Common Tern	1.02%
151. American Bittern	0.9633%
152. Common Merganser	0.9569%
153. LeConte's Sparrow	0.9468%
154. Green-winged Teal	0.9274%
155. Olive-sided Flycatcher	0.8657%
156. Common Goldeneye	0.8307%

157. <b>Forster's Tern</b>	<b>0.8095%</b>
158. <b>Merlin</b>	<b>0.7966%</b>
159. <b>Red-shouldered Hawk</b>	<b>0.7819%</b>
160. <b>Prothonotary Warbler</b>	<b>0.7487%</b>
161. <b>Cape May Warbler</b>	<b>0.7451%</b>
162. <b>Tennessee Warbler</b>	<b>0.7101%</b>
163. <b>Lesser Scaup</b>	<b>0.7045%</b>
164. <b>Canada Jay</b>	<b>0.6916%</b>
165. <b>Acadian Flycatcher</b>	<b>0.6530%</b>
166. <b>Marbled Godwit</b>	<b>0.6272%</b>
167. <b>Semipalmated Sandpiper</b>	<b>0.6253%</b>
168. <b>Red-necked Grebe</b>	<b>0.6198%</b>
169. <b>Upland Sandpiper</b>	<b>0.6023%</b>
170. <b>Connecticut Warbler</b>	<b>0.5986%</b>
171. <b>Lincoln's Sparrow</b>	<b>0.5913%</b>
172. <b>Great Horned Owl</b>	<b>0.5885%</b>
173. <b>Least Bittern</b>	<b>0.5784%</b>
174. <b>Wilson's Phalarope</b>	<b>0.5738%</b>
175. <b>Canvasback</b>	<b>0.5544%</b>
176. <b>Dark-eyed Junco</b>	<b>0.5369%</b>
177. <b>Caspian Tern</b>	<b>0.5157%</b>
178. <b>Brown Creeper</b>	<b>0.5093%</b>
179. <b>Western Grebe</b>	<b>0.5001%</b>



180. <b>Palm Warbler</b>	<b>0.4955%</b>
181. <b>Franklin's Gull</b>	<b>0.4909%</b>
182. <b>Western Kingbird</b>	<b>0.4909%</b>
183. <b>Black-crowned Night Heron</b>	<b>0.4890%</b>
184. <b>Bell's Vireo</b>	<b>0.4863%</b>
185. <b>Eared Grebe</b>	<b>0.4854%</b>
186. <b>Peregrine Falcon</b>	<b>0.4540%</b>
187. <b>Cerulean Warbler</b>	<b>0.4485%</b>
188. <b>White-rumped Sandpiper</b>	<b>0.4384%</b>
189. <b>Blue Grosbeak</b>	<b>0.4200%</b>
190. <b>Hooded Warbler</b>	<b>0.3997%</b>
191. <b>Tufted Titmouse</b>	<b>0.3758%</b>
192. <b>American Woodcock</b>	<b>0.3629%</b>
193. <b>Red-breasted Merganser</b>	<b>0.3601%</b>
194. <b>Northern Pintail</b>	<b>0.3481%</b>
195. <b>American Wigeon</b>	<b>0.3389%</b>
196. <b>Eastern Whip-poor-will</b>	<b>0.3380%</b>
197. <b>Black-backed Woodpecker</b>	<b>0.2966%</b>
198. <b>Common Gallinule</b>	<b>0.2919%</b>
199. <b>Philadelphia Vireo</b>	<b>0.2754%</b>
200. <b>Black-throated Blue Warbler</b>	<b>0.2698%</b>
201. <b>Dunlin</b>	<b>0.2597%</b>
202. <b>Sharp-shinned Hawk</b>	<b>0.2459%</b>

203. <b>Least Sandpiper</b>	<b>0.2413%</b>
204. <b>Sharp-tailed Grouse</b>	<b>0.2385%</b>
205. <b>Sanderling</b>	<b>0.2284%</b>
206. <b>Louisiana Waterthrush</b>	<b>0.2256%</b>
207. <b>Greater Prairie-Chicken</b>	<b>0.2229%</b>
208. <b>Bufflehead</b>	<b>0.2219%</b>
209. <b>Lesser Yellowlegs</b>	<b>0.2164%</b>
210. <b>Loggerhead Shrike</b>	<b>0.2026%</b>
211. <b>Great Gray Owl</b>	<b>0.1998%</b>
212. <b>Yellow Rail</b>	<b>0.1888%</b>
213. <b>Yellow-breasted Chat</b>	<b>0.1833%</b>
214. <b>Boreal Chickadee</b>	<b>0.1814%</b>
215. <b>Bay-breasted Warbler</b>	<b>0.1814%</b>
216. <b>Evening Grosbeak</b>	<b>0.1805%</b>
217. <b>Limpkin</b>	<b>0.1787%</b>
218. <b>Wilson's Warbler</b>	<b>0.1778%</b>
219. <b>American Black Duck</b>	<b>0.1676%</b>
220. <b>Pectoral Sandpiper</b>	<b>0.1676%</b>
221. <b>Red Crossbill</b>	<b>0.1676%</b>
222. <b>Semipalmated Plover</b>	<b>0.1621%</b>
223. <b>Bonaparte's Gull</b>	<b>0.1483%</b>
224. <b>Yellow-throated Warbler</b>	<b>0.1409%</b>
225. <b>American Avocet</b>	<b>0.1391%</b>

226. <b>Swainson's Hawk</b>	<b>0.1308%</b>
227. <b>Neotropic Cormorant</b>	<b>0.1207%</b>
228. <b>Red-necked Phalarope</b>	<b>0.1197%</b>
229. <b>Northern Mockingbird</b>	<b>0.1124%</b>
230. <b>Snowy Egret</b>	<b>0.1114%</b>
231. <b>Summer Tanager</b>	<b>0.1077%</b>
232. <b>Nelson's Sparrow</b>	<b>0.0958%</b>
233. <b>Ruddy Turnstone</b>	<b>0.0930%</b>
234. <b>Blackpoll Warbler</b>	<b>0.0930%</b>
235. <b>Greater Yellowlegs</b>	<b>0.0875%</b>
236. <b>Eurasian Tree Sparrow</b>	<b>0.0792%</b>
237. <b>Gray Partridge</b>	<b>0.0783%</b>
238. <b>Chestnut-collared Longspur</b>	<b>0.0774%</b>
239. <b>Prairie Warbler</b>	<b>0.0774%</b>
240. <b>Red-throated Loon</b>	<b>0.0709%</b>
241. <b>Clark's Grebe</b>	<b>0.0700%</b>
242. <b>American Goshawk</b>	<b>0.0691%</b>
243. <b>Snow Goose</b>	<b>0.0636%</b>
244. <b>Baird's Sandpiper</b>	<b>0.0636%</b>
245. <b>Western Cattle-Egret</b>	<b>0.0617%</b>
246. <b>White-winged Crossbill</b>	<b>0.0617%</b>
247. <b>Black-necked Stilt</b>	<b>0.0608%</b>
248. <b>Solitary Sandpiper</b>	<b>0.0599%</b>

249. <b>Stilt Sandpiper</b>	<b>0.0589%</b>
250. <b>Black-bellied Plover</b>	<b>0.0580%</b>
251. <b>Whimbrel</b>	<b>0.0553%</b>
252. <b>American Golden-Plover</b>	<b>0.0516%</b>
253. <b>Spruce Grouse</b>	<b>0.0497%</b>
254. <b>Carolina Wren</b>	<b>0.0488%</b>
255. <b>Horned Grebe</b>	<b>0.0461%</b>
256. <b>Greater White-fronted Goose</b>	<b>0.0433%</b>
257. <b>Greater Scaup</b>	<b>0.0424%</b>
258. <b>Hudsonian Godwit</b>	<b>0.0405%</b>
259. <b>Little Blue Heron</b>	<b>0.0405%</b>
260. <b>Eastern Screech-Owl</b>	<b>0.0405%</b>
261. <b>Willet</b>	<b>0.0396%</b>
262. <b>White-faced Ibis</b>	<b>0.0387%</b>
263. <b>Say's Phoebe</b>	<b>0.0378%</b>
264. <b>King Rail</b>	<b>0.0350%</b>
265. <b>Least Tern</b>	<b>0.0350%</b>
266. <b>White-winged Dove</b>	<b>0.0331%</b>
267. <b>Northern Saw-whet Owl</b>	<b>0.0331%</b>
268. <b>Laughing Gull</b>	<b>0.0313%</b>
269. <b>Surf Scoter</b>	<b>0.0304%</b>
270. <b>Kentucky Warbler</b>	<b>0.0304%</b>
271. <b>Pacific Loon</b>	<b>0.0295%</b>

272. <b>Short-eared Owl</b>	<b>0.0295%</b>
273. <b>Black-throated Sparrow</b>	<b>0.0295%</b>
274. <b>Glossy Ibis</b>	<b>0.0286%</b>
275. <b>Tundra Swan</b>	<b>0.0276%</b>
276. <b>American Three-toed Woodpecker</b>	<b>0.0276%</b>
277. <b>Western Wood-Pewee</b>	<b>0.0258%</b>
278. <b>Black-bellied Whistling-Duck</b>	<b>0.0221%</b>
279. <b>Lesser Black-backed Gull</b>	<b>0.0212%</b>
280. <b>Piping Plover</b>	<b>0.0203%</b>
281. <b>Scissor-tailed Flycatcher</b>	<b>0.0203%</b>
282. <b>Tropical Kingbird</b>	<b>0.0193%</b>
283. <b>Lark Bunting</b>	<b>0.0193%</b>
284. <b>Short-billed Dowitcher</b>	<b>0.0166%</b>
285. <b>Harlequin Duck</b>	<b>0.0157%</b>
286. <b>Long-eared Owl</b>	<b>0.0147%</b>
287. <b>White-eyed Vireo</b>	<b>0.0147%</b>
288. <b>Red Knot</b>	<b>0.0138%</b>
289. <b>California Gull</b>	<b>0.0138%</b>
290. <b>Cinnamon Teal</b>	<b>0.0129%</b>
291. <b>Calliope Hummingbird</b>	<b>0.0120%</b>
292. <b>Wood Stork</b>	<b>0.0110%</b>
293. <b>Great-tailed Grackle</b>	<b>0.0101%</b>
294. <b>Black Vulture</b>	<b>0.0092%</b>

295. <b>White-crowned Sparrow</b>	<b>0.0092%</b>
296. <b>Sprague's Pipit</b>	<b>0.0083%</b>
297. <b>Long-tailed Duck</b>	<b>0.0074%</b>
298. <b>Ross's Goose</b>	<b>0.0065%</b>
299. <b>Snowy Plover</b>	<b>0.0065%</b>
300. <b>Northern Hawk Owl</b>	<b>0.0065%</b>
301. <b>White-winged Scoter</b>	<b>0.0055%</b>
302. <b>Arctic Tern</b>	<b>0.0055%</b>
303. <b>Parasitic Jaeger</b>	<b>0.0046%</b>
304. <b>Black-legged Kittiwake</b>	<b>0.0046%</b>
305. <b>Rock Wren</b>	<b>0.0046%</b>
306. <b>Bewick's Wren</b>	<b>0.0046%</b>
307. <b>Western Tanager</b>	<b>0.0046%</b>
308. <b>Gray-cheeked Thrush</b>	<b>0.0037%</b>
309. <b>American Pipit</b>	<b>0.0037%</b>
310. <b>Baird's Sparrow</b>	<b>0.0037%</b>
311. <b>Buff-breasted Sandpiper</b>	<b>0.0028%</b>
312. <b>Gull-billed Tern</b>	<b>0.0028%</b>
313. <b>Burrowing Owl</b>	<b>0.0028%</b>
314. <b>Redpoll</b>	<b>0.0028%</b>
315. <b>Harris's Sparrow</b>	<b>0.0028%</b>
316. <b>Spotted Towhee</b>	<b>0.0028%</b>
317. <b>Lazuli Bunting</b>	<b>0.0028%</b>

318. <b>Yellow-crowned Night Heron</b>	<b>0.0018%</b>
319. <b>Tricolored Heron</b>	<b>0.0018%</b>
320. <b>Brown Pelican</b>	<b>0.0018%</b>
321. <b>Rough-legged Hawk</b>	<b>0.0018%</b>
322. <b>Rusty Blackbird</b>	<b>0.0018%</b>
323. <b>Painted Bunting</b>	<b>0.0018%</b>
324. <b>Cackling Goose</b>	<b>0.0009%</b>
325. <b>Iceland Gull</b>	<b>0.0009%</b>
326. <b>Mississippi Kite</b>	<b>0.0009%</b>
327. <b>Ferruginous Hawk</b>	<b>0.0009%</b>
328. <b>Boreal Owl</b>	<b>0.0009%</b>
329. <b>Sage Thrasher</b>	<b>0.0009%</b>
330. <b>Bohemian Waxwing</b>	<b>0.0009%</b>
331. <b>Eurasian Wigeon</b>	<b>0.0000%</b>
332. <b>Northern Bobwhite</b>	<b>0.0000%</b>
333. <b>Chuck-will's-widow</b>	<b>0.0000%</b>
334. <b>Long-billed Curlew</b>	<b>0.0000%</b>
335. <b>Pomarine Jaeger</b>	<b>0.0000%</b>
336. <b>Little Gull</b>	<b>0.0000%</b>
337. <b>Black-headed Gull</b>	<b>0.0000%</b>
338. <b>Glaucous Gull</b>	<b>0.0000%</b>
339. <b>Magnificent Frigatebird</b>	<b>0.0000%</b>
340. <b>American Barn Owl</b>	<b>0.0000%</b>

341. <b>Snowy Owl</b>	<b>0.0000%</b>
342. <b>Prairie Falcon</b>	<b>0.0000%</b>
343. <b>Mountain Bluebird</b>	<b>0.0000%</b>
344. <b>Townsend's Solitaire</b>	<b>0.0000%</b>
345. <b>Black-headed Grosbeak</b>	<b>0.0000%</b>
<b>EXOTIC: PROVISIONAL</b>	
346. <b>Mute Swan</b>	<b>0.0654%</b> frequency
347. <b>Abert's Towhee</b>	<b>0.0626%</b>
348. <b>Whooping Crane</b>	<b>0.0018%</b>
<b>EXOTIC: ESCAPEE</b>	
<b>Muscovy Duck</b>	<b>0.0110%</b> frequency
<b>Whooper Swan</b>	<b>0.0037%</b>
<b>Helmeted Guineafowl</b>	<b>0.0028%</b>
<b>Chukar</b>	<b>0.0018%</b>
<b>Indian Peafowl</b>	<b>0.0000%</b>
<b>African Collared-Dove</b>	<b>0.0000%</b>
<b>Budgerigar</b>	<b>0.0000%</b>
<b>HYBRIDS</b>	
<b>Mallard x American Black Duck (hybrid)</b>	<b>0.0313%</b> frequency
<b>Golden-winged x Blue-winged Warbler (hybrid)</b>	<b>0.0129%</b>
<b>Brewster's Warbler (hybrid)</b>	<b>0.0120%</b>
<b>Spotted x Eastern Towhee (hybrid)</b>	<b>0.0110%</b>



Lawrence's Warbler (hybrid)	<b>0.0065%</b>
Western x Clark's Grebe (hybrid)	<b>0.0028%</b>
Domestic goose sp. x Canada Goose (hybrid)	<b>0.0009%</b>
Connecticut x Mourning Warbler (hybrid)	<b>0.0009%</b>
House x Eurasian Tree Sparrow (hybrid)	<b>0.0000%</b>