



## Target Species

Based on 195,582 complete checklists

**380** species observed in Minnesota, US (region/US-MN) in **May** that you need for your **World Life List**

1. American Robin	61.19% frequency
2. Red-winged Blackbird	55.81%
3. Black-capped Chickadee	48.30%
4. American Goldfinch	44.20%
5. Blue Jay	43.55%
6. American Crow	42.69%
7. Canada Goose	42.36%
8. Song Sparrow	42.13%
9. Mallard	42.11%
10. Northern Cardinal	39.51%
11. Common Grackle	33.61%
12. Brown-headed Cowbird	33.01%
13. Downy Woodpecker	30.84%
14. Yellow Warbler	30.55%
15. Tree Swallow	30.51%
16. Baltimore Oriole	30.48%
17. Chipping Sparrow	30.43%
18. Gray Catbird	27.60%

19. Red-bellied Woodpecker	27.23%
20. Mourning Dove	27.19%
21. White-breasted Nuthatch	26.90%
22. Yellow-rumped Warbler	26.56%
23. Common Yellowthroat	25.32%
24. Northern House Wren	24.33%
25. American Redstart	23.71%
26. Barn Swallow	22.97%
27. Wood Duck	21.62%
28. Rose-breasted Grosbeak	20.97%
29. White-throated Sparrow	20.70%
30. Hairy Woodpecker	18.91%
31. House Finch	17.02%
32. House Sparrow	16.06%
33. Great Blue Heron	15.79%
34. Northern Flicker	15.00%
35. Great Crested Flycatcher	14.78%
36. Nashville Warbler	14.40%
37. Least Flycatcher	14.32%
38. European Starling	14.30%
39. Palm Warbler	14.23%
40. Bald Eagle	14.09%
41. Black-and-white Warbler	13.95%

42. Turkey Vulture	<b>13.83%</b>
43. Killdeer	<b>13.76%</b>
44. Blue-winged Teal	<b>13.40%</b>
45. Tennessee Warbler	<b>13.38%</b>
46. Red-eyed Vireo	<b>13.25%</b>
47. Ovenbird	<b>12.05%</b>
48. Warbling Vireo	<b>11.90%</b>
49. Ruby-throated Hummingbird	<b>11.51%</b>
50. Swamp Sparrow	<b>11.17%</b>
51. Eastern Kingbird	<b>11.13%</b>
52. Ruby-crowned Kinglet	<b>11.04%</b>
53. Chestnut-sided Warbler	<b>10.89%</b>
54. Pileated Woodpecker	<b>10.83%</b>
55. Eastern Phoebe	<b>10.62%</b>
56. Eastern Bluebird	<b>10.53%</b>
57. Ring-billed Gull	<b>10.35%</b>
58. Swainson's Thrush	<b>10.21%</b>
59. Double-crested Cormorant	<b>10.09%</b>
60. Ring-necked Pheasant	<b>9.44%</b>
61. Brown Thrasher	<b>9.14%</b>
62. Clay-colored Sparrow	<b>8.91%</b>
63. Trumpeter Swan	<b>8.74%</b>
64. Indigo Bunting	<b>8.69%</b>

65. <b>Magnolia Warbler</b>	<b>8.42%</b>
66. <b>Chimney Swift</b>	<b>8.35%</b>
67. <b>Wild Turkey</b>	<b>8.25%</b>
68. <b>Blue-gray Gnatcatcher</b>	<b>8.21%</b>
69. <b>Sandhill Crane</b>	<b>8.09%</b>
70. <b>Eastern Wood-Pewee</b>	<b>7.98%</b>
71. <b>Rock Pigeon</b>	<b>7.93%</b>
72. <b>Cedar Waxwing</b>	<b>7.90%</b>
73. <b>Great Egret</b>	<b>7.67%</b>
74. <b>Field Sparrow</b>	<b>7.64%</b>
75. <b>Yellow-bellied Sapsucker</b>	<b>7.55%</b>
76. <b>Northern Waterthrush</b>	<b>7.55%</b>
77. <b>Yellow-throated Vireo</b>	<b>7.37%</b>
78. <b>Red-tailed Hawk</b>	<b>7.18%</b>
79. <b>Spotted Sandpiper</b>	<b>6.80%</b>
80. <b>Hooded Merganser</b>	<b>6.78%</b>
81. <b>Common Loon</b>	<b>6.75%</b>
82. <b>Green Heron</b>	<b>6.05%</b>
83. <b>Veery</b>	<b>6.01%</b>
84. <b>Wilson's Warbler</b>	<b>5.97%</b>
85. <b>Blackpoll Warbler</b>	<b>5.92%</b>
86. <b>Red-breasted Nuthatch</b>	<b>5.83%</b>
87. <b>Northern Rough-winged Swallow</b>	<b>5.66%</b>

88. Orange-crowned Warbler	5.61%
89. Savannah Sparrow	5.60%
90. Belted Kingfisher	5.48%
91. Sora	5.45%
92. Cliff Swallow	5.34%
93. Scarlet Tanager	5.24%
94. Blackburnian Warbler	5.14%
95. Pied-billed Grebe	5.11%
96. American Coot	5.08%
97. Eastern Towhee	5.06%
98. Northern Shoveler	5.04%
99. Broad-winged Hawk	5.02%
100. American White Pelican	4.91%
101. Yellow-headed Blackbird	4.72%
102. Osprey	4.62%
103. Lincoln's Sparrow	4.61%
104. Blue-headed Vireo	4.56%
105. White-crowned Sparrow	4.54%
106. Golden-winged Warbler	4.45%
107. Pine Siskin	4.35%
108. Common Raven	4.08%
109. Black-throated Green Warbler	4.03%
110. Lesser Yellowlegs	4.00%

111. Ring-necked Duck	3.89%
112. Bobolink	3.76%
113. Northern Parula	3.74%
114. Purple Finch	3.69%
115. Sedge Wren	3.58%
116. Cooper's Hawk	3.55%
117. Marsh Wren	3.51%
118. Eastern Meadowlark	3.48%
119. Lesser Scaup	3.46%
120. Wood Thrush	3.33%
121. Canada Warbler	3.24%
122. Bufflehead	3.16%
123. Blue-winged Warbler	3.11%
124. Northern Harrier	2.98%
125. Least Sandpiper	2.92%
126. Purple Martin	2.80%
127. Ruffed Grouse	2.80%
128. Orchard Oriole	2.77%
129. Hermit Thrush	2.73%
130. Gadwall	2.61%
131. Bank Swallow	2.60%
132. Common Nighthawk	2.55%
133. Cape May Warbler	2.48%

134. <b>Harris's Sparrow</b>	<b>2.46%</b>
135. <b>Alder Flycatcher</b>	<b>2.44%</b>
136. <b>American Herring Gull</b>	<b>2.41%</b>
137. <b>Barred Owl</b>	<b>2.39%</b>
138. <b>Caspian Tern</b>	<b>2.37%</b>
139. <b>Solitary Sandpiper</b>	<b>2.32%</b>
140. <b>Ruddy Duck</b>	<b>2.26%</b>
141. <b>American Kestrel</b>	<b>2.24%</b>
142. <b>Black Tern</b>	<b>2.24%</b>
143. <b>Dark-eyed Junco</b>	<b>2.24%</b>
144. <b>Mourning Warbler</b>	<b>2.22%</b>
145. <b>Vesper Sparrow</b>	<b>2.17%</b>
146. <b>Redhead</b>	<b>2.17%</b>
147. <b>Green-winged Teal</b>	<b>2.09%</b>
148. <b>Wilson's Snipe</b>	<b>2.08%</b>
149. <b>Greater Yellowlegs</b>	<b>2.08%</b>
150. <b>Forster's Tern</b>	<b>2.05%</b>
151. <b>Red-headed Woodpecker</b>	<b>2.03%</b>
152. <b>Gray-cheeked Thrush</b>	<b>2.03%</b>
153. <b>Pine Warbler</b>	<b>1.94%</b>
154. <b>Olive-sided Flycatcher</b>	<b>1.84%</b>
155. <b>Western Meadowlark</b>	<b>1.84%</b>
156. <b>Bay-breasted Warbler</b>	<b>1.80%</b>

157. <b>Dunlin</b>	<b>1.78%</b>
158. <b>Wilson's Phalarope</b>	<b>1.77%</b>
159. <b>Grasshopper Sparrow</b>	<b>1.72%</b>
160. <b>Philadelphia Vireo</b>	<b>1.63%</b>
161. <b>Pectoral Sandpiper</b>	<b>1.63%</b>
162. <b>Red-breasted Merganser</b>	<b>1.60%</b>
163. <b>Yellow-bellied Flycatcher</b>	<b>1.58%</b>
164. <b>Semipalmated Sandpiper</b>	<b>1.54%</b>
165. <b>Horned Lark</b>	<b>1.51%</b>
166. <b>Merlin</b>	<b>1.45%</b>
167. <b>Common Tern</b>	<b>1.45%</b>
168. <b>Horned Grebe</b>	<b>1.44%</b>
169. <b>Common Merganser</b>	<b>1.43%</b>
170. <b>Semipalmated Plover</b>	<b>1.42%</b>
171. <b>Willow Flycatcher</b>	<b>1.38%</b>
172. <b>Great Horned Owl</b>	<b>1.30%</b>
173. <b>Virginia Rail</b>	<b>1.30%</b>
174. <b>Common Goldeneye</b>	<b>1.28%</b>
175. <b>Bonaparte's Gull</b>	<b>1.27%</b>
176. <b>Brown Creeper</b>	<b>1.26%</b>
177. <b>Lark Sparrow</b>	<b>1.22%</b>
178. <b>Sharp-shinned Hawk</b>	<b>1.20%</b>
179. <b>Red-necked Grebe</b>	<b>1.14%</b>



180. <b>Winter Wren</b>	<b>1.12%</b>
181. <b>Brewer's Blackbird</b>	<b>1.11%</b>
182. <b>Golden-crowned Kinglet</b>	<b>1.10%</b>
183. <b>Red-shouldered Hawk</b>	<b>1.05%</b>
184. <b>American Bittern</b>	<b>1.04%</b>
185. <b>Eurasian Collared-Dove</b>	<b>0.9428%</b>
186. <b>Canvasback</b>	<b>0.9347%</b>
187. <b>Greater Scaup</b>	<b>0.8953%</b>
188. <b>White-rumped Sandpiper</b>	<b>0.8651%</b>
189. <b>American Wigeon</b>	<b>0.8237%</b>
190. <b>Short-billed Dowitcher</b>	<b>0.7889%</b>
191. <b>Franklin's Gull</b>	<b>0.7496%</b>
192. <b>Sanderling</b>	<b>0.7480%</b>
193. <b>American Woodcock</b>	<b>0.7434%</b>
194. <b>Black-billed Cuckoo</b>	<b>0.7240%</b>
195. <b>Peregrine Falcon</b>	<b>0.7199%</b>
196. <b>Marbled Godwit</b>	<b>0.7189%</b>
197. <b>Black-crowned Night Heron</b>	<b>0.7127%</b>
198. <b>Tufted Titmouse</b>	<b>0.6453%</b>
199. <b>Ruddy Turnstone</b>	<b>0.6325%</b>
200. <b>Prothonotary Warbler</b>	<b>0.6233%</b>
201. <b>Willet</b>	<b>0.6207%</b>
202. <b>American Tree Sparrow</b>	<b>0.5987%</b>

203.	<b>Henslow's Sparrow</b>	<b>0.5553%</b>
204.	<b>Northern Pintail</b>	<b>0.5323%</b>
205.	<b>Black-billed Magpie</b>	<b>0.5292%</b>
206.	<b>Baird's Sandpiper</b>	<b>0.5271%</b>
207.	<b>American Pipit</b>	<b>0.4873%</b>
208.	<b>Connecticut Warbler</b>	<b>0.4648%</b>
209.	<b>Eared Grebe</b>	<b>0.4530%</b>
210.	<b>Dickcissel</b>	<b>0.4412%</b>
211.	<b>Hudsonian Godwit</b>	<b>0.4300%</b>
212.	<b>Hooded Warbler</b>	<b>0.4249%</b>
213.	<b>Black-bellied Plover</b>	<b>0.4157%</b>
214.	<b>Long-billed Dowitcher</b>	<b>0.4029%</b>
215.	<b>LeConte's Sparrow</b>	<b>0.3942%</b>
216.	<b>Stilt Sandpiper</b>	<b>0.3891%</b>
217.	<b>Western Grebe</b>	<b>0.3804%</b>
218.	<b>Cerulean Warbler</b>	<b>0.3784%</b>
219.	<b>Eastern Whip-poor-will</b>	<b>0.3753%</b>
220.	<b>Evening Grosbeak</b>	<b>0.3666%</b>
221.	<b>American Avocet</b>	<b>0.3651%</b>
222.	<b>Yellow-billed Cuckoo</b>	<b>0.3180%</b>
223.	<b>Red-necked Phalarope</b>	<b>0.3093%</b>
224.	<b>Fox Sparrow</b>	<b>0.3017%</b>
225.	<b>Canada Jay</b>	<b>0.2950%</b>

226. Upland Sandpiper	0.2904%
227. Greater Prairie-Chicken	0.2418%
228. Western Kingbird	0.2403%
229. Acadian Flycatcher	0.2372%
230. Red-throated Loon	0.2306%
231. Bell's Vireo	0.2178%
232. American Golden-Plover	0.2106%
233. Louisiana Waterthrush	0.2055%
234. Black-throated Blue Warbler	0.2015%
235. White-faced Ibis	0.2004%
236. Least Bittern	0.1994%
237. Sharp-tailed Grouse	0.1922%
238. Rusty Blackbird	0.1856%
239. Whimbrel	0.1611%
240. American Black Duck	0.1595%
241. Yellow-throated Warbler	0.1590%
242. Blue Grosbeak	0.1565%
243. Greater White-fronted Goose	0.1539%
244. Summer Tanager	0.1478%
245. White-winged Scoter	0.1467%
246. Swainson's Hawk	0.1457%
247. Loggerhead Shrike	0.1406%
248. Tundra Swan	0.1401%

249. <b>Redpoll</b>	<b>0.1288%</b>
250. <b>Long-tailed Duck</b>	<b>0.1278%</b>
251. <b>Rough-legged Hawk</b>	<b>0.1222%</b>
252. <b>Common Gallinule</b>	<b>0.1212%</b>
253. <b>Snow Goose</b>	<b>0.1104%</b>
254. <b>Northern Mockingbird</b>	<b>0.1069%</b>
255. <b>Snowy Egret</b>	<b>0.1033%</b>
256. <b>Pacific Loon</b>	<b>0.1028%</b>
257. <b>Western Cattle-Egret</b>	<b>0.0925%</b>
258. <b>Yellow Rail</b>	<b>0.0915%</b>
259. <b>Black-necked Stilt</b>	<b>0.0884%</b>
260. <b>Red Crossbill</b>	<b>0.0869%</b>
261. <b>Kentucky Warbler</b>	<b>0.0838%</b>
262. <b>Lapland Longspur</b>	<b>0.0813%</b>
263. <b>Black-backed Woodpecker</b>	<b>0.0803%</b>
264. <b>Eastern Screech-Owl</b>	<b>0.0767%</b>
265. <b>Ruff</b>	<b>0.0741%</b>
266. <b>Red Knot</b>	<b>0.0736%</b>
267. <b>Great Gray Owl</b>	<b>0.0736%</b>
268. <b>Piping Plover</b>	<b>0.0660%</b>
269. <b>Surf Scoter</b>	<b>0.0634%</b>
270. <b>Gray Partridge</b>	<b>0.0619%</b>
271. <b>Western Tanager</b>	<b>0.0614%</b>

272. Scissor-tailed Flycatcher	0.0532%
273. Bullock's Oriole	0.0521%
274. Boreal Chickadee	0.0516%
275. Nelson's Sparrow	0.0506%
276. Ross's Goose	0.0496%
277. Prairie Warbler	0.0455%
278. Long-eared Owl	0.0450%
279. Swainson's Warbler	0.0440%
280. American Goshawk	0.0404%
281. Yellow-breasted Chat	0.0399%
282. Yellow-crowned Night Heron	0.0389%
283. Iceland Gull	0.0373%
284. Worm-eating Warbler	0.0363%
285. Painted Bunting	0.0343%
286. Eurasian Tree Sparrow	0.0332%
287. Cackling Goose	0.0327%
288. Glaucous Gull	0.0327%
289. Lazuli Bunting	0.0322%
290. Wilson's Plover	0.0317%
291. Carolina Wren	0.0317%
292. Chestnut-collared Longspur	0.0312%
293. Great-tailed Grackle	0.0312%
294. Cinnamon Teal	0.0307%

295. <b>Northern Saw-whet Owl</b>	<b>0.0307%</b>
296. <b>White-winged Dove</b>	<b>0.0297%</b>
297. <b>Harlequin Duck</b>	<b>0.0291%</b>
298. <b>White-winged Crossbill</b>	<b>0.0291%</b>
299. <b>Say's Phoebe</b>	<b>0.0281%</b>
300. <b>Black-bellied Whistling-Duck</b>	<b>0.0245%</b>
301. <b>Lesser Black-backed Gull</b>	<b>0.0225%</b>
302. <b>Bohemian Waxwing</b>	<b>0.0225%</b>
303. <b>Parasitic Jaeger</b>	<b>0.0220%</b>
304. <b>Neotropic Cormorant</b>	<b>0.0210%</b>
305. <b>White-eyed Vireo</b>	<b>0.0210%</b>
306. <b>Golden Eagle</b>	<b>0.0199%</b>
307. <b>Little Gull</b>	<b>0.0194%</b>
308. <b>Spruce Grouse</b>	<b>0.0189%</b>
309. <b>Spotted Towhee</b>	<b>0.0179%</b>
310. <b>Short-eared Owl</b>	<b>0.0174%</b>
311. <b>Sage Thrasher</b>	<b>0.0153%</b>
312. <b>Black Scoter</b>	<b>0.0148%</b>
313. <b>Glossy Ibis</b>	<b>0.0138%</b>
314. <b>Whooping Crane</b>	<b>0.0128%</b>
315. <b>American Three-toed Woodpecker</b>	<b>0.0123%</b>
316. <b>Smith's Longspur</b>	<b>0.0113%</b>
317. <b>Clark's Grebe</b>	<b>0.0102%</b>

318. <b>Snow Bunting</b>	<b>0.0102%</b>
319. <b>Little Blue Heron</b>	<b>0.0097%</b>
320. <b>Limpkin</b>	<b>0.0082%</b>
321. <b>Curlew Sandpiper</b>	<b>0.0061%</b>
322. <b>Western Sandpiper</b>	<b>0.0061%</b>
323. <b>Great Black-backed Gull</b>	<b>0.0061%</b>
324. <b>Lark Bunting</b>	<b>0.0061%</b>
325. <b>Red Phalarope</b>	<b>0.0046%</b>
326. <b>Burrowing Owl</b>	<b>0.0031%</b>
327. <b>Brant</b>	<b>0.0026%</b>
328. <b>Tufted Duck</b>	<b>0.0026%</b>
329. <b>California Gull</b>	<b>0.0026%</b>
330. <b>Eurasian Wigeon</b>	<b>0.0021%</b>
331. <b>King Rail</b>	<b>0.0021%</b>
332. <b>Tricolored Heron</b>	<b>0.0021%</b>
333. <b>Snowy Owl</b>	<b>0.0021%</b>
334. <b>Northern Hawk Owl</b>	<b>0.0021%</b>
335. <b>Cassin's Sparrow</b>	<b>0.0021%</b>
336. <b>Kirtland's Warbler</b>	<b>0.0021%</b>
337. <b>King Eider</b>	<b>0.0015%</b>
338. <b>Buff-breasted Sandpiper</b>	<b>0.0015%</b>
339. <b>Mississippi Kite</b>	<b>0.0015%</b>
340. <b>Boreal Owl</b>	<b>0.0015%</b>

341. <b>Rock Wren</b>	<b>0.0015%</b>
342. <b>Curve-billed Thrasher</b>	<b>0.0015%</b>
343. <b>Varied Thrush</b>	<b>0.0015%</b>
344. <b>Black-headed Grosbeak</b>	<b>0.0015%</b>
345. <b>Arctic Tern</b>	<b>0.0010%</b>
346. <b>Gyr Falcon</b>	<b>0.0010%</b>
347. <b>Townsend's Solitaire</b>	<b>0.0010%</b>
348. <b>Black-throated Gray Warbler</b>	<b>0.0010%</b>
349. <b>Garganey</b>	<b>0.0005%</b>
350. <b>Band-tailed Pigeon</b>	<b>0.0005%</b>
351. <b>Chuck-will's-widow</b>	<b>0.0005%</b>
352. <b>Black Rail</b>	<b>0.0005%</b>
353. <b>Snowy Plover</b>	<b>0.0005%</b>
354. <b>Laughing Gull</b>	<b>0.0005%</b>
355. <b>Brown Pelican</b>	<b>0.0005%</b>
356. <b>Black Vulture</b>	<b>0.0005%</b>
357. <b>Ferruginous Hawk</b>	<b>0.0005%</b>
358. <b>Lewis's Woodpecker</b>	<b>0.0005%</b>
359. <b>Western Wood-Pewee</b>	<b>0.0005%</b>
360. <b>Fork-tailed Flycatcher</b>	<b>0.0005%</b>
361. <b>Northern Shrike</b>	<b>0.0005%</b>
362. <b>Sprague's Pipit</b>	<b>0.0005%</b>
363. <b>Brewer's Sparrow</b>	<b>0.0005%</b>



364. Hermit Warbler	0.0005%
365. Northern Bobwhite	0.0000%
366. Black-headed Gull	0.0000%
367. White Ibis	0.0000%
368. White-tailed Kite	0.0000%
369. Swallow-tailed Kite	0.0000%
370. American Barn Owl	0.0000%
371. Williamson's Sapsucker	0.0000%
372. Prairie Falcon	0.0000%
373. Bewick's Wren	0.0000%
374. Mountain Bluebird	0.0000%
375. Pine Grosbeak	0.0000%
376. Thick-billed Longspur	0.0000%
377. Golden-crowned Sparrow	0.0000%
378. Baird's Sparrow	0.0000%
379. Green-tailed Towhee	0.0000%
<b>EXOTIC: PROVISIONAL</b>	
380. Mute Swan	0.0808% frequency
<b>EXOTIC: ESCAPEE</b>	
Muscovy Duck	0.0092% frequency
Helmeted Guineafowl	0.0021%
Chukar	0.0021%

<b>Indian Peafowl</b>	<b>0.0010%</b>
<b>Black Swan</b>	<b>0.0005%</b>
<b>African Collared-Dove</b>	<b>0.0005%</b>
<b>Emu</b>	<b>0.0000%</b>
<b>Swan Goose</b>	<b>0.0000%</b>
<b>Scarlet Ibis</b>	<b>0.0000%</b>

**HYBRIDS**

Brewster's Warbler (hybrid)	<b>0.0322%</b> frequency
Mallard x American Black Duck (hybrid)	<b>0.0261%</b>
Lawrence's Warbler (hybrid)	<b>0.0194%</b>
Golden-winged x Blue-winged Warbler (hybrid)	<b>0.0107%</b>
Spotted x Eastern Towhee (hybrid)	<b>0.0031%</b>
Blue-winged x Cinnamon Teal (hybrid)	<b>0.0026%</b>
Sharp-tailed Grouse x Greater Prairie-Chicken (hybrid)	<b>0.0026%</b>
Domestic goose sp. x Canada Goose (hybrid)	<b>0.0021%</b>
Tufted Duck x scaup sp. (hybrid)	<b>0.0010%</b>
Western x Clark's Grebe (hybrid)	<b>0.0010%</b>
Lazuli x Indigo Bunting (hybrid)	<b>0.0010%</b>
Snow x Ross's Goose (hybrid)	<b>0.0005%</b>
Eurasian x American Wigeon (hybrid)	<b>0.0005%</b>
Northern Shoveler x Mallard (hybrid)	<b>0.0005%</b>
Gadwall x Northern Pintail (hybrid)	<b>0.0005%</b>

Canvasback x Redhead (hybrid)	<b>0.0005%</b>
Glossy x White-faced Ibis (hybrid)	<b>0.0005%</b>
American Redstart x Northern Parula (hybrid)	<b>0.0005%</b>
Cerulean Warbler x Northern Parula (hybrid)	<b>0.0005%</b>
Magnolia x Palm Warbler (hybrid)	<b>0.0005%</b>
Rose-breasted x Black-headed Grosbeak (hybrid)	<b>0.0005%</b>
Greater White-fronted x Canada Goose (hybrid)	<b>0.0000%</b>