



## Target Species

Based on 195,582 complete checklists

**380** species observed in Minnesota, US (region/US-MN) in **May** that you need for your **World Life List**

1. <b>Black-bellied Whistling-Duck</b>	<b>0.0245%</b> frequency
2. <b>Snow Goose</b>	<b>0.1104%</b>
3. <b>Ross's Goose</b>	<b>0.0496%</b>
4. <b>Greater White-fronted Goose</b>	<b>0.1539%</b>
5. <b>Brant</b>	<b>0.0026%</b>
6. <b>Cackling Goose</b>	<b>0.0327%</b>
7. <b>Canada Goose</b>	<b>42.36%</b>
8. <b>Trumpeter Swan</b>	<b>8.74%</b>
9. <b>Tundra Swan</b>	<b>0.1401%</b>
10. <b>Wood Duck</b>	<b>21.62%</b>
11. <b>Garganey</b>	<b>0.0005%</b>
12. <b>Blue-winged Teal</b>	<b>13.40%</b>
13. <b>Cinnamon Teal</b>	<b>0.0307%</b>
14. <b>Northern Shoveler</b>	<b>5.04%</b>
15. <b>Gadwall</b>	<b>2.61%</b>
16. <b>Eurasian Wigeon</b>	<b>0.0021%</b>
17. <b>American Wigeon</b>	<b>0.8237%</b>
18. <b>Mallard</b>	<b>42.11%</b>

19. American Black Duck	0.1595%
20. Northern Pintail	0.5323%
21. Green-winged Teal	2.09%
22. Canvasback	0.9347%
23. Redhead	2.17%
24. Ring-necked Duck	3.89%
25. Tufted Duck	0.0026%
26. Greater Scaup	0.8953%
27. Lesser Scaup	3.46%
28. King Eider	0.0015%
29. Harlequin Duck	0.0291%
30. Surf Scoter	0.0634%
31. White-winged Scoter	0.1467%
32. Black Scoter	0.0148%
33. Long-tailed Duck	0.1278%
34. Bufflehead	3.16%
35. Common Goldeneye	1.28%
36. Hooded Merganser	6.78%
37. Common Merganser	1.43%
38. Red-breasted Merganser	1.60%
39. Ruddy Duck	2.26%
40. Northern Bobwhite	0.0000%
41. Wild Turkey	8.25%

42. Ruffed Grouse	2.80%
43. Sharp-tailed Grouse	0.1922%
44. Greater Prairie-Chicken	0.2418%
45. Spruce Grouse	0.0189%
46. Gray Partridge	0.0619%
47. Ring-necked Pheasant	9.44%
48. Rock Pigeon	7.93%
49. Band-tailed Pigeon	0.0005%
50. Eurasian Collared-Dove	0.9428%
51. White-winged Dove	0.0297%
52. Mourning Dove	27.19%
53. Yellow-billed Cuckoo	0.3180%
54. Black-billed Cuckoo	0.7240%
55. Common Nighthawk	2.55%
56. Chuck-will's-widow	0.0005%
57. Eastern Whip-poor-will	0.3753%
58. Chimney Swift	8.35%
59. Ruby-throated Hummingbird	11.51%
60. King Rail	0.0021%
61. Virginia Rail	1.30%
62. Sora	5.45%
63. Common Gallinule	0.1212%
64. American Coot	5.08%

65. <b>Yellow Rail</b>	<b>0.0915%</b>
66. <b>Black Rail</b>	<b>0.0005%</b>
67. <b>Limpkin</b>	<b>0.0082%</b>
68. <b>Sandhill Crane</b>	<b>8.09%</b>
69. <b>Whooping Crane</b>	<b>0.0128%</b>
70. <b>Black-necked Stilt</b>	<b>0.0884%</b>
71. <b>American Avocet</b>	<b>0.3651%</b>
72. <b>Black-bellied Plover</b>	<b>0.4157%</b>
73. <b>American Golden-Plover</b>	<b>0.2106%</b>
74. <b>Killdeer</b>	<b>13.76%</b>
75. <b>Semipalmated Plover</b>	<b>1.42%</b>
76. <b>Piping Plover</b>	<b>0.0660%</b>
77. <b>Wilson's Plover</b>	<b>0.0317%</b>
78. <b>Snowy Plover</b>	<b>0.0005%</b>
79. <b>Upland Sandpiper</b>	<b>0.2904%</b>
80. <b>Whimbrel</b>	<b>0.1611%</b>
81. <b>Hudsonian Godwit</b>	<b>0.4300%</b>
82. <b>Marbled Godwit</b>	<b>0.7189%</b>
83. <b>Short-billed Dowitcher</b>	<b>0.7889%</b>
84. <b>Long-billed Dowitcher</b>	<b>0.4029%</b>
85. <b>American Woodcock</b>	<b>0.7434%</b>
86. <b>Wilson's Snipe</b>	<b>2.08%</b>
87. <b>Wilson's Phalarope</b>	<b>1.77%</b>

88. Red Phalarope	0.0046%
89. Red-necked Phalarope	0.3093%
90. Spotted Sandpiper	6.80%
91. Solitary Sandpiper	2.32%
92. Lesser Yellowlegs	4.00%
93. Willet	0.6207%
94. Greater Yellowlegs	2.08%
95. Ruddy Turnstone	0.6325%
96. Red Knot	0.0736%
97. Ruff	0.0741%
98. Curlew Sandpiper	0.0061%
99. Stilt Sandpiper	0.3891%
100. Buff-breasted Sandpiper	0.0015%
101. Sanderling	0.7480%
102. Dunlin	1.78%
103. Baird's Sandpiper	0.5271%
104. White-rumped Sandpiper	0.8651%
105. Least Sandpiper	2.92%
106. Pectoral Sandpiper	1.63%
107. Western Sandpiper	0.0061%
108. Semipalmated Sandpiper	1.54%
109. Parasitic Jaeger	0.0220%
110. Little Gull	0.0194%

111. Bonaparte's Gull	1.27%
112. Black-headed Gull	0.0000%
113. Laughing Gull	0.0005%
114. Franklin's Gull	0.7496%
115. Ring-billed Gull	10.35%
116. American Herring Gull	2.41%
117. Great Black-backed Gull	0.0061%
118. Glaucous Gull	0.0327%
119. Lesser Black-backed Gull	0.0225%
120. California Gull	0.0026%
121. Iceland Gull	0.0373%
122. Caspian Tern	2.37%
123. Black Tern	2.24%
124. Forster's Tern	2.05%
125. Arctic Tern	0.0010%
126. Common Tern	1.45%
127. Pied-billed Grebe	5.11%
128. Horned Grebe	1.44%
129. Red-necked Grebe	1.14%
130. Eared Grebe	0.4530%
131. Western Grebe	0.3804%
132. Clark's Grebe	0.0102%
133. Red-throated Loon	0.2306%

134. Pacific Loon	0.1028%
135. Common Loon	6.75%
136. Double-crested Cormorant	10.09%
137. Neotropic Cormorant	0.0210%
138. White Ibis	0.0000%
139. Glossy Ibis	0.0138%
140. White-faced Ibis	0.2004%
141. American Bittern	1.04%
142. Least Bittern	0.1994%
143. Yellow-crowned Night Heron	0.0389%
144. Black-crowned Night Heron	0.7127%
145. Little Blue Heron	0.0097%
146. Tricolored Heron	0.0021%
147. Snowy Egret	0.1033%
148. Green Heron	6.05%
149. Western Cattle-Egret	0.0925%
150. Great Egret	7.67%
151. Great Blue Heron	15.79%
152. American White Pelican	4.91%
153. Brown Pelican	0.0005%
154. Black Vulture	0.0005%
155. Turkey Vulture	13.83%
156. Osprey	4.62%

157. <b>White-tailed Kite</b>	<b>0.0000%</b>
158. <b>Swallow-tailed Kite</b>	<b>0.0000%</b>
159. <b>Golden Eagle</b>	<b>0.0199%</b>
160. <b>Sharp-shinned Hawk</b>	<b>1.20%</b>
161. <b>Cooper's Hawk</b>	<b>3.55%</b>
162. <b>American Goshawk</b>	<b>0.0404%</b>
163. <b>Northern Harrier</b>	<b>2.98%</b>
164. <b>Bald Eagle</b>	<b>14.09%</b>
165. <b>Mississippi Kite</b>	<b>0.0015%</b>
166. <b>Broad-winged Hawk</b>	<b>5.02%</b>
167. <b>Red-shouldered Hawk</b>	<b>1.05%</b>
168. <b>Swainson's Hawk</b>	<b>0.1457%</b>
169. <b>Red-tailed Hawk</b>	<b>7.18%</b>
170. <b>Rough-legged Hawk</b>	<b>0.1222%</b>
171. <b>Ferruginous Hawk</b>	<b>0.0005%</b>
172. <b>American Barn Owl</b>	<b>0.0000%</b>
173. <b>Eastern Screech-Owl</b>	<b>0.0767%</b>
174. <b>Snowy Owl</b>	<b>0.0021%</b>
175. <b>Great Horned Owl</b>	<b>1.30%</b>
176. <b>Northern Hawk Owl</b>	<b>0.0021%</b>
177. <b>Burrowing Owl</b>	<b>0.0031%</b>
178. <b>Barred Owl</b>	<b>2.39%</b>
179. <b>Great Gray Owl</b>	<b>0.0736%</b>



180. Long-eared Owl	0.0450%
181. Short-eared Owl	0.0174%
182. Boreal Owl	0.0015%
183. Northern Saw-whet Owl	0.0307%
184. Belted Kingfisher	5.48%
185. Williamson's Sapsucker	0.0000%
186. Yellow-bellied Sapsucker	7.55%
187. Lewis's Woodpecker	0.0005%
188. Red-headed Woodpecker	2.03%
189. Red-bellied Woodpecker	27.23%
190. American Three-toed Woodpecker	0.0123%
191. Black-backed Woodpecker	0.0803%
192. Downy Woodpecker	30.84%
193. Hairy Woodpecker	18.91%
194. Pileated Woodpecker	10.83%
195. Northern Flicker	15.00%
196. American Kestrel	2.24%
197. Merlin	1.45%
198. Gyrfalcon	0.0010%
199. Peregrine Falcon	0.7199%
200. Prairie Falcon	0.0000%
201. Olive-sided Flycatcher	1.84%
202. Western Wood-Pewee	0.0005%

203. Eastern Wood-Pewee	7.98%
204. Yellow-bellied Flycatcher	1.58%
205. Acadian Flycatcher	0.2372%
206. Alder Flycatcher	2.44%
207. Willow Flycatcher	1.38%
208. Least Flycatcher	14.32%
209. Eastern Phoebe	10.62%
210. Say's Phoebe	0.0281%
211. Great Crested Flycatcher	14.78%
212. Western Kingbird	0.2403%
213. Eastern Kingbird	11.13%
214. Scissor-tailed Flycatcher	0.0532%
215. Fork-tailed Flycatcher	0.0005%
216. White-eyed Vireo	0.0210%
217. Bell's Vireo	0.2178%
218. Yellow-throated Vireo	7.37%
219. Blue-headed Vireo	4.56%
220. Philadelphia Vireo	1.63%
221. Warbling Vireo	11.90%
222. Red-eyed Vireo	13.25%
223. Loggerhead Shrike	0.1406%
224. Northern Shrike	0.0005%
225. Canada Jay	0.2950%

226. <b>Blue Jay</b>	<b>43.55%</b>
227. <b>Black-billed Magpie</b>	<b>0.5292%</b>
228. <b>American Crow</b>	<b>42.69%</b>
229. <b>Common Raven</b>	<b>4.08%</b>
230. <b>Black-capped Chickadee</b>	<b>48.30%</b>
231. <b>Boreal Chickadee</b>	<b>0.0516%</b>
232. <b>Tufted Titmouse</b>	<b>0.6453%</b>
233. <b>Horned Lark</b>	<b>1.51%</b>
234. <b>Bank Swallow</b>	<b>2.60%</b>
235. <b>Tree Swallow</b>	<b>30.51%</b>
236. <b>Purple Martin</b>	<b>2.80%</b>
237. <b>Northern Rough-winged Swallow</b>	<b>5.66%</b>
238. <b>Barn Swallow</b>	<b>22.97%</b>
239. <b>Cliff Swallow</b>	<b>5.34%</b>
240. <b>Ruby-crowned Kinglet</b>	<b>11.04%</b>
241. <b>Golden-crowned Kinglet</b>	<b>1.10%</b>
242. <b>White-breasted Nuthatch</b>	<b>26.90%</b>
243. <b>Red-breasted Nuthatch</b>	<b>5.83%</b>
244. <b>Brown Creeper</b>	<b>1.26%</b>
245. <b>Blue-gray Gnatcatcher</b>	<b>8.21%</b>
246. <b>Rock Wren</b>	<b>0.0015%</b>
247. <b>Northern House Wren</b>	<b>24.33%</b>
248. <b>Winter Wren</b>	<b>1.12%</b>

249. Sedge Wren	3.58%
250. Marsh Wren	3.51%
251. Carolina Wren	0.0317%
252. Bewick's Wren	0.0000%
253. European Starling	14.30%
254. Gray Catbird	27.60%
255. Curve-billed Thrasher	0.0015%
256. Brown Thrasher	9.14%
257. Sage Thrasher	0.0153%
258. Northern Mockingbird	0.1069%
259. Eastern Bluebird	10.53%
260. Mountain Bluebird	0.0000%
261. Townsend's Solitaire	0.0010%
262. Varied Thrush	0.0015%
263. Veery	6.01%
264. Gray-cheeked Thrush	2.03%
265. Swainson's Thrush	10.21%
266. Hermit Thrush	2.73%
267. Wood Thrush	3.33%
268. American Robin	61.19%
269. Bohemian Waxwing	0.0225%
270. Cedar Waxwing	7.90%
271. House Sparrow	16.06%

272. Eurasian Tree Sparrow	0.0332%
273. American Pipit	0.4873%
274. Sprague's Pipit	0.0005%
275. Evening Grosbeak	0.3666%
276. Pine Grosbeak	0.0000%
277. House Finch	17.02%
278. Purple Finch	3.69%
279. Redpoll	0.1288%
280. Red Crossbill	0.0869%
281. White-winged Crossbill	0.0291%
282. Pine Siskin	4.35%
283. American Goldfinch	44.20%
284. Lapland Longspur	0.0813%
285. Chestnut-collared Longspur	0.0312%
286. Smith's Longspur	0.0113%
287. Thick-billed Longspur	0.0000%
288. Snow Bunting	0.0102%
289. Cassin's Sparrow	0.0021%
290. Grasshopper Sparrow	1.72%
291. Chipping Sparrow	30.43%
292. Clay-colored Sparrow	8.91%
293. Field Sparrow	7.64%
294. Brewer's Sparrow	0.0005%

295. Lark Sparrow	1.22%
296. Lark Bunting	0.0061%
297. American Tree Sparrow	0.5987%
298. Fox Sparrow	0.3017%
299. Dark-eyed Junco	2.24%
300. White-crowned Sparrow	4.54%
301. Golden-crowned Sparrow	0.0000%
302. Harris's Sparrow	2.46%
303. White-throated Sparrow	20.70%
304. Vesper Sparrow	2.17%
305. LeConte's Sparrow	0.3942%
306. Nelson's Sparrow	0.0506%
307. Savannah Sparrow	5.60%
308. Baird's Sparrow	0.0000%
309. Henslow's Sparrow	0.5553%
310. Song Sparrow	42.13%
311. Lincoln's Sparrow	4.61%
312. Swamp Sparrow	11.17%
313. Green-tailed Towhee	0.0000%
314. Spotted Towhee	0.0179%
315. Eastern Towhee	5.06%
316. Yellow-breasted Chat	0.0399%
317. Yellow-headed Blackbird	4.72%

318. Bobolink	3.76%
319. Western Meadowlark	1.84%
320. Eastern Meadowlark	3.48%
321. Orchard Oriole	2.77%
322. Bullock's Oriole	0.0521%
323. Baltimore Oriole	30.48%
324. Red-winged Blackbird	55.81%
325. Brown-headed Cowbird	33.01%
326. Rusty Blackbird	0.1856%
327. Brewer's Blackbird	1.11%
328. Common Grackle	33.61%
329. Great-tailed Grackle	0.0312%
330. Ovenbird	12.05%
331. Worm-eating Warbler	0.0363%
332. Louisiana Waterthrush	0.2055%
333. Northern Waterthrush	7.55%
334. Golden-winged Warbler	4.45%
335. Blue-winged Warbler	3.11%
336. Black-and-white Warbler	13.95%
337. Prothonotary Warbler	0.6233%
338. Swainson's Warbler	0.0440%
339. Tennessee Warbler	13.38%
340. Orange-crowned Warbler	5.61%

341. Nashville Warbler	14.40%
342. Connecticut Warbler	0.4648%
343. Mourning Warbler	2.22%
344. Kentucky Warbler	0.0838%
345. Common Yellowthroat	25.32%
346. Hooded Warbler	0.4249%
347. American Redstart	23.71%
348. Kirtland's Warbler	0.0021%
349. Cape May Warbler	2.48%
350. Cerulean Warbler	0.3784%
351. Northern Parula	3.74%
352. Magnolia Warbler	8.42%
353. Bay-breasted Warbler	1.80%
354. Blackburnian Warbler	5.14%
355. Yellow Warbler	30.55%
356. Chestnut-sided Warbler	10.89%
357. Blackpoll Warbler	5.92%
358. Black-throated Blue Warbler	0.2015%
359. Palm Warbler	14.23%
360. Pine Warbler	1.94%
361. Yellow-rumped Warbler	26.56%
362. Yellow-throated Warbler	0.1590%
363. Prairie Warbler	0.0455%



364. <b>Black-throated Gray Warbler</b>	<b>0.0010%</b>
365. <b>Hermit Warbler</b>	<b>0.0005%</b>
366. <b>Black-throated Green Warbler</b>	<b>4.03%</b>
367. <b>Canada Warbler</b>	<b>3.24%</b>
368. <b>Wilson's Warbler</b>	<b>5.97%</b>
369. <b>Summer Tanager</b>	<b>0.1478%</b>
370. <b>Scarlet Tanager</b>	<b>5.24%</b>
371. <b>Western Tanager</b>	<b>0.0614%</b>
372. <b>Northern Cardinal</b>	<b>39.51%</b>
373. <b>Rose-breasted Grosbeak</b>	<b>20.97%</b>
374. <b>Black-headed Grosbeak</b>	<b>0.0015%</b>
375. <b>Blue Grosbeak</b>	<b>0.1565%</b>
376. <b>Lazuli Bunting</b>	<b>0.0322%</b>
377. <b>Indigo Bunting</b>	<b>8.69%</b>
378. <b>Painted Bunting</b>	<b>0.0343%</b>
379. <b>Dickcissel</b>	<b>0.4412%</b>
<b>EXOTIC: PROVISIONAL</b>	
380. <b>Mute Swan</b>	<b>0.0808%</b> frequency
<b>EXOTIC: ESCAPEE</b>	
<b>Emu</b>	<b>0.0000%</b> frequency
<b>Swan Goose</b>	<b>0.0000%</b>
<b>Black Swan</b>	<b>0.0005%</b>

<b>Muscovy Duck</b>	<b>0.0092%</b>
<b>Helmeted Guineafowl</b>	<b>0.0021%</b>
<b>Indian Peafowl</b>	<b>0.0010%</b>
<b>Chukar</b>	<b>0.0021%</b>
<b>African Collared-Dove</b>	<b>0.0005%</b>
<b>Scarlet Ibis</b>	<b>0.0000%</b>

**HYBRIDS**

Snow x Ross's Goose (hybrid)	<b>0.0005%</b> frequency
Greater White-fronted x Canada Goose (hybrid)	<b>0.0000%</b>
Domestic goose sp. x Canada Goose (hybrid)	<b>0.0021%</b>
Blue-winged x Cinnamon Teal (hybrid)	<b>0.0026%</b>
Eurasian x American Wigeon (hybrid)	<b>0.0005%</b>
Northern Shoveler x Mallard (hybrid)	<b>0.0005%</b>
Mallard x American Black Duck (hybrid)	<b>0.0261%</b>
Gadwall x Northern Pintail (hybrid)	<b>0.0005%</b>
Canvasback x Redhead (hybrid)	<b>0.0005%</b>
Tufted Duck x scaup sp. (hybrid)	<b>0.0010%</b>
Sharp-tailed Grouse x Greater Prairie-Chicken (hybrid)	<b>0.0026%</b>
Western x Clark's Grebe (hybrid)	<b>0.0010%</b>
Glossy x White-faced Ibis (hybrid)	<b>0.0005%</b>
Spotted x Eastern Towhee (hybrid)	<b>0.0031%</b>
Golden-winged x Blue-winged Warbler (hybrid)	<b>0.0107%</b>

Brewster's Warbler (hybrid)	<b>0.0322%</b>
Lawrence's Warbler (hybrid)	<b>0.0194%</b>
American Redstart x Northern Parula (hybrid)	<b>0.0005%</b>
Cerulean Warbler x Northern Parula (hybrid)	<b>0.0005%</b>
Magnolia x Palm Warbler (hybrid)	<b>0.0005%</b>
Rose-breasted x Black-headed Grosbeak (hybrid)	<b>0.0005%</b>
Lazuli x Indigo Bunting (hybrid)	<b>0.0010%</b>