



Target Species

Based on 1,224,388 complete checklists

435 species observed in Minnesota, US (region/US-MN) that you need for your **World Life List**

1. Black-capped Chickadee	50.82% frequency
2. American Crow	43.16%
3. American Robin	39.14%
4. Blue Jay	37.33%
5. Downy Woodpecker	32.20%
6. American Goldfinch	32.17%
7. Mallard	30.71%
8. Northern Cardinal	30.55%
9. Canada Goose	30.40%
10. White-breasted Nuthatch	29.80%
11. Red-winged Blackbird	28.62%
12. Song Sparrow	23.95%
13. Red-bellied Woodpecker	20.92%
14. Hairy Woodpecker	20.49%
15. Mourning Dove	18.15%
16. Dark-eyed Junco	16.50%
17. Common Grackle	16.24%
18. Bald Eagle	16.11%

19. House Sparrow	16.03%
20. House Finch	15.56%
21. Ring-billed Gull	13.85%
22. Wood Duck	13.68%
23. Gray Catbird	12.89%
24. Chipping Sparrow	12.71%
25. European Starling	12.60%
26. Common Yellowthroat	12.19%
27. Northern Flicker	12.06%
28. Tree Swallow	11.57%
29. Barn Swallow	10.88%
30. Brown-headed Cowbird	10.87%
31. Yellow-rumped Warbler	10.87%
32. White-throated Sparrow	10.68%
33. Rock Pigeon	10.39%
34. Northern House Wren	10.33%
35. Great Blue Heron	10.10%
36. Cedar Waxwing	9.73%
37. Pileated Woodpecker	9.44%
38. Yellow Warbler	9.38%
39. Killdeer	9.14%
40. American Redstart	8.88%
41. Baltimore Oriole	8.65%

42. Trumpeter Swan	8.56%
43. Red-eyed Vireo	8.51%
44. Red-tailed Hawk	8.40%
45. Red-breasted Nuthatch	8.24%
46. Turkey Vulture	7.90%
47. Double-crested Cormorant	6.99%
48. Ruby-throated Hummingbird	6.95%
49. Rose-breasted Grosbeak	6.72%
50. Eastern Bluebird	6.68%
51. Eastern Phoebe	6.65%
52. Blue-winged Teal	6.54%
53. Hooded Merganser	6.47%
54. Eastern Wood-Pewee	6.18%
55. Eastern Kingbird	6.01%
56. Great Crested Flycatcher	5.90%
57. Swamp Sparrow	5.80%
58. Ruby-crowned Kinglet	5.66%
59. Common Raven	5.44%
60. Sandhill Crane	5.33%
61. Nashville Warbler	5.30%
62. Pied-billed Grebe	5.21%
63. Wild Turkey	5.16%
64. Great Egret	5.12%

65. Ring-necked Pheasant	4.85%
66. American Coot	4.85%
67. Ring-necked Duck	4.84%
68. Common Loon	4.82%
69. Belted Kingfisher	4.81%
70. Indigo Bunting	4.63%
71. American Tree Sparrow	4.63%
72. Black-and-white Warbler	4.60%
73. Warbling Vireo	4.39%
74. Least Flycatcher	4.25%
75. Ovenbird	4.21%
76. Common Goldeneye	4.14%
77. Bufflehead	4.02%
78. Yellow-bellied Sapsucker	3.96%
79. Northern Shoveler	3.96%
80. Palm Warbler	3.95%
81. American Herring Gull	3.91%
82. Common Merganser	3.90%
83. Green Heron	3.89%
84. Chestnut-sided Warbler	3.81%
85. Pine Siskin	3.75%
86. Tennessee Warbler	3.61%
87. American White Pelican	3.61%

88. Field Sparrow	3.56%
89. Redpoll	3.54%
90. Purple Finch	3.48%
91. Lesser Scaup	3.41%
92. Clay-colored Sparrow	3.37%
93. Chimney Swift	3.31%
94. Brown Thrasher	3.28%
95. Gadwall	2.97%
96. Brown Creeper	2.95%
97. Yellow-throated Vireo	2.93%
98. Osprey	2.90%
99. Savannah Sparrow	2.87%
100. Northern Harrier	2.69%
101. American Kestrel	2.66%
102. Green-winged Teal	2.62%
103. Veery	2.62%
104. Magnolia Warbler	2.59%
105. Cooper's Hawk	2.59%
106. Cliff Swallow	2.57%
107. Golden-crowned Kinglet	2.52%
108. Swainson's Thrush	2.45%
109. Fox Sparrow	2.41%
110. Redhead	2.38%

111. Blue-gray Gnatcatcher	2.37%
112. Spotted Sandpiper	2.36%
113. Broad-winged Hawk	2.31%
114. Hermit Thrush	2.30%
115. Horned Lark	2.30%
116. Lesser Yellowlegs	2.25%
117. Sedge Wren	2.24%
118. Eastern Towhee	2.06%
119. Marsh Wren	2.03%
120. Lincoln's Sparrow	1.90%
121. Orange-crowned Warbler	1.88%
122. Northern Waterthrush	1.87%
123. Ruddy Duck	1.87%
124. Northern Rough-winged Swallow	1.84%
125. Eastern Meadowlark	1.83%
126. Sharp-shinned Hawk	1.80%
127. Yellow-headed Blackbird	1.80%
128. Scarlet Tanager	1.73%
129. Sora	1.68%
130. White-crowned Sparrow	1.64%
131. Merlin	1.63%
132. Ruffed Grouse	1.61%
133. Wilson's Snipe	1.60%

134. Bobolink	1.59%
135. American Wigeon	1.59%
136. Greater Yellowlegs	1.56%
137. Blackburnian Warbler	1.55%
138. Purple Martin	1.53%
139. Canvasback	1.52%
140. Barred Owl	1.49%
141. Red-breasted Merganser	1.47%
142. Wilson's Warbler	1.46%
143. Blue-headed Vireo	1.44%
144. Least Sandpiper	1.41%
145. Black-throated Green Warbler	1.39%
146. Golden-winged Warbler	1.36%
147. Dickcissel	1.30%
148. Vesper Sparrow	1.28%
149. Great Horned Owl	1.26%
150. Pine Grosbeak	1.25%
151. Northern Shrike	1.24%
152. Western Meadowlark	1.20%
153. Franklin's Gull	1.18%
154. Northern Parula	1.18%
155. Pectoral Sandpiper	1.18%
156. Canada Jay	1.18%

157. Alder Flycatcher	1.17%
158. Northern Pintail	1.16%
159. Rough-legged Hawk	1.14%
160. Blackpoll Warbler	1.13%
161. Canada Warbler	1.12%
162. Common Nighthawk	1.12%
163. Bank Swallow	1.11%
164. Horned Grebe	1.10%
165. Black Tern	1.09%
166. Orchard Oriole	1.06%
167. Wood Thrush	1.05%
168. Solitary Sandpiper	1.04%
169. Eurasian Collared-Dove	1.01%
170. Harris's Sparrow	0.9853%
171. Mourning Warbler	0.9807%
172. Winter Wren	0.9417%
173. Rusty Blackbird	0.9327%
174. Bonaparte's Gull	0.8929%
175. Red-headed Woodpecker	0.8920%
176. Grasshopper Sparrow	0.8780%
177. American Black Duck	0.8569%
178. Blue-winged Warbler	0.8195%
179. Tundra Swan	0.8124%

180. Evening Grosbeak	0.7987%
181. Snow Bunting	0.7855%
182. Black-billed Magpie	0.7801%
183. Pine Warbler	0.7783%
184. Peregrine Falcon	0.7698%
185. Red-shouldered Hawk	0.7605%
186. Semipalmated Sandpiper	0.7503%
187. Greater Scaup	0.7427%
188. Willow Flycatcher	0.7313%
189. Olive-sided Flycatcher	0.7279%
190. Red-necked Grebe	0.6803%
191. Bay-breasted Warbler	0.6673%
192. Cape May Warbler	0.6593%
193. Caspian Tern	0.6477%
194. Forster's Tern	0.6396%
195. Brewer's Blackbird	0.6286%
196. Philadelphia Vireo	0.6096%
197. Greater White-fronted Goose	0.5928%
198. Yellow-bellied Flycatcher	0.5808%
199. Lapland Longspur	0.5785%
200. American Pipit	0.5680%
201. Semipalmated Plover	0.5375%
202. Tufted Titmouse	0.5354%

203. Virginia Rail	0.5106%
204. Cackling Goose	0.4796%
205. Wilson's Phalarope	0.4753%
206. White-winged Crossbill	0.4530%
207. Common Tern	0.4381%
208. American Woodcock	0.4379%
209. Lark Sparrow	0.4342%
210. Black-billed Cuckoo	0.4260%
211. Dunlin	0.4224%
212. Boreal Chickadee	0.4174%
213. Snow Goose	0.4162%
214. Baird's Sandpiper	0.4057%
215. Red Crossbill	0.4013%
216. Iceland Gull	0.3865%
217. Black-crowned Night Heron	0.3851%
218. Gray-cheeked Thrush	0.3846%
219. American Bittern	0.3603%
220. Great Gray Owl	0.3560%
221. Bohemian Waxwing	0.3478%
222. Stilt Sandpiper	0.3320%
223. Black-backed Woodpecker	0.3216%
224. Snowy Owl	0.3166%
225. Henslow's Sparrow	0.2854%

226. Sharp-tailed Grouse	0.2814%
227. Sanderling	0.2792%
228. LeConte's Sparrow	0.2749%
229. American Golden-Plover	0.2728%
230. Northern Hawk Owl	0.2698%
231. Yellow-billed Cuckoo	0.2679%
232. American Goshawk	0.2632%
233. Short-billed Dowitcher	0.2512%
234. Marbled Godwit	0.2460%
235. Eared Grebe	0.2404%
236. Glaucous Gull	0.2385%
237. Black-bellied Plover	0.2333%
238. Long-tailed Duck	0.2268%
239. Golden Eagle	0.2120%
240. Western Grebe	0.2037%
241. Prothonotary Warbler	0.1991%
242. Long-billed Dowitcher	0.1970%
243. White-rumped Sandpiper	0.1948%
244. White-winged Scoter	0.1814%
245. Connecticut Warbler	0.1762%
246. Red-necked Phalarope	0.1758%
247. American Avocet	0.1742%
248. Willet	0.1640%

249. Ross's Goose	0.1529%
250. Upland Sandpiper	0.1510%
251. Eastern Screech-Owl	0.1471%
252. Least Bittern	0.1397%
253. Western Kingbird	0.1390%
254. Townsend's Solitaire	0.1377%
255. Blue Grosbeak	0.1362%
256. Acadian Flycatcher	0.1338%
257. Surf Scoter	0.1313%
258. Ruddy Turnstone	0.1294%
259. Greater Prairie-Chicken	0.1255%
260. Hooded Warbler	0.1228%
261. Black-throated Blue Warbler	0.1196%
262. Hudsonian Godwit	0.1185%
263. Northern Saw-whet Owl	0.1179%
264. Eastern Whip-poor-will	0.1170%
265. Cerulean Warbler	0.1070%
266. Carolina Wren	0.1055%
267. Bell's Vireo	0.1043%
268. Swainson's Hawk	0.0987%
269. Black Scoter	0.0965%
270. Great Black-backed Gull	0.0942%
271. White-faced Ibis	0.0929%

272. Buff-breasted Sandpiper	0.0905%
273. Red-throated Loon	0.0904%
274. Short-eared Owl	0.0898%
275. Loggerhead Shrike	0.0863%
276. Gray Partridge	0.0802%
277. Common Gallinule	0.0795%
278. Varied Thrush	0.0733%
279. Long-eared Owl	0.0728%
280. Louisiana Waterthrush	0.0728%
281. Spruce Grouse	0.0715%
282. Lesser Black-backed Gull	0.0698%
283. Harlequin Duck	0.0677%
284. American Three-toed Woodpecker	0.0628%
285. Nelson's Sparrow	0.0588%
286. Eurasian Tree Sparrow	0.0559%
287. Summer Tanager	0.0528%
288. Neotropic Cormorant	0.0518%
289. Boreal Owl	0.0516%
290. Snowy Egret	0.0463%
291. Yellow-throated Warbler	0.0444%
292. Mountain Bluebird	0.0437%
293. Pacific Loon	0.0399%
294. Western Cattle-Egret	0.0395%

295. Northern Mockingbird	0.0390%
296. Whimbrel	0.0363%
297. Yellow Rail	0.0359%
298. Spotted Towhee	0.0342%
299. Black-necked Stilt	0.0325%
300. Yellow-breasted Chat	0.0323%
301. Yellow-crowned Night Heron	0.0298%
302. Barrow's Goldeneye	0.0274%
303. Ivory Gull	0.0269%
304. Sabine's Gull	0.0238%
305. Say's Phoebe	0.0221%
306. Red Knot	0.0214%
307. Parasitic Jaeger	0.0213%
308. Cinnamon Teal	0.0206%
309. Limpkin	0.0202%
310. Piping Plover	0.0198%
311. Swainson's Warbler	0.0198%
312. Red Phalarope	0.0197%
313. Whooping Crane	0.0179%
314. King Eider	0.0177%
315. Clark's Grebe	0.0174%
316. Ross's Gull	0.0164%
317. Arctic Tern	0.0162%

318. Kentucky Warbler	0.0162%
319. Eurasian Wigeon	0.0161%
320. Tufted Duck	0.0155%
321. Scissor-tailed Flycatcher	0.0155%
322. Smith's Longspur	0.0153%
323. Common Eider	0.0149%
324. Prairie Warbler	0.0143%
325. Chestnut-collared Longspur	0.0141%
326. Great-tailed Grackle	0.0141%
327. Ruff	0.0139%
328. Western Tanager	0.0132%
329. Sage Thrasher	0.0126%
330. Gray-crowned Rosy-Finch	0.0125%
331. White-eyed Vireo	0.0114%
332. Rufous Hummingbird	0.0110%
333. Anna's Hummingbird	0.0108%
334. White-winged Dove	0.0107%
335. Glossy Ibis	0.0100%
336. Golden-crowned Sparrow	0.0092%
337. Black-bellied Whistling-Duck	0.0089%
338. Lewis's Woodpecker	0.0089%
339. Bullock's Oriole	0.0085%
340. Black-legged Kittiwake	0.0083%

341. Little Blue Heron	0.0082%
342. Mississippi Kite	0.0075%
343. Painted Bunting	0.0069%
344. Phainopepla	0.0068%
345. King Rail	0.0063%
346. Sharp-tailed Sandpiper	0.0060%
347. Tropical Kingbird	0.0059%
348. Worm-eating Warbler	0.0059%
349. Garganey	0.0058%
350. Lark Bunting	0.0058%
351. Lazuli Bunting	0.0054%
352. Gyr Falcon	0.0053%
353. Wilson's Plover	0.0051%
354. Ancient Murrelet	0.0050%
355. California Gull	0.0050%
356. Long-tailed Jaeger	0.0045%
357. Acorn Woodpecker	0.0045%
358. Yellow-billed Loon	0.0043%
359. Roseate Spoonbill	0.0043%
360. Black-throated Gray Warbler	0.0043%
361. Least Tern	0.0040%
362. Painted Redstart	0.0039%
363. Little Gull	0.0038%

364. Brant	0.0034%
365. Laughing Gull	0.0034%
366. Western Wood-Pewee	0.0031%
367. Brambling	0.0031%
368. Wood Stork	0.0030%
369. Pomarine Jaeger	0.0028%
370. Slaty-backed Gull	0.0026%
371. Prairie Falcon	0.0026%
372. Clark's Nutcracker	0.0026%
373. Black-throated Sparrow	0.0026%
374. American Barn Owl	0.0025%
375. Brown Booby	0.0025%
376. Tricolored Heron	0.0025%
377. Curve-billed Thrasher	0.0018%
378. Glaucous-winged Gull	0.0016%
379. Western Sandpiper	0.0016%
380. Swallow-tailed Kite	0.0016%
381. Sprague's Pipit	0.0013%
382. Townsend's Warbler	0.0013%
383. Black-headed Grosbeak	0.0013%
384. Fork-tailed Flycatcher	0.0012%
385. Calliope Hummingbird	0.0011%
386. Black Vulture	0.0011%

387. Burrowing Owl	0.0011%
388. Cassin's Kingbird	0.0011%
389. Curlew Sandpiper	0.0010%
390. Purple Sandpiper	0.0010%
391. Rock Wren	0.0009%
392. Royal Tern	0.0008%
393. Snowy Plover	0.0007%
394. Vermilion Flycatcher	0.0006%
395. Bewick's Wren	0.0006%
396. Cassin's Sparrow	0.0006%
397. Band-tailed Pigeon	0.0005%
398. Common Ground Dove	0.0005%
399. Brown Pelican	0.0005%
400. Northern Wheatear	0.0005%
401. Mottled Duck	0.0004%
402. Long-billed Curlew	0.0004%
403. Lesser Goldfinch	0.0004%
404. Green-tailed Towhee	0.0004%
405. Black-headed Gull	0.0003%
406. Short-billed Gull	0.0003%
407. Ferruginous Hawk	0.0003%
408. Baird's Sparrow	0.0003%
409. Kirtland's Warbler	0.0003%

410. Inca Dove	0.0003%
411. Black Guillemot	0.0003%
412. Gull-billed Tern	0.0003%
413. Cassin's Finch	0.0003%
414. Ash-throated Flycatcher	0.0002%
415. Scott's Oriole	0.0002%
416. Northern Bobwhite	0.0001%
417. Chuck-will's-widow	0.0001%
418. Broad-billed Hummingbird	0.0001%
419. Purple Gallinule	0.0001%
420. Black Rail	0.0001%
421. Long-billed Murrelet	0.0001%
422. Northern Fulmar	0.0001%
423. Williamson's Sapsucker	0.0001%
424. Pygmy Nuthatch	0.0001%
425. Fieldfare	0.0001%
426. Brewer's Sparrow	0.0001%
427. Hermit Warbler	0.0001%
428. Passenger Pigeon	0.0000%
429. Groove-billed Ani	0.0000%
430. Magnificent Frigatebird	0.0000%
431. White Ibis	0.0000%
432. White-tailed Kite	0.0000%

433. Thick-billed Longspur	0.0000%
EXOTIC: PROVISIONAL	
434. Mute Swan	0.1370% frequency
435. Abert's Towhee	0.0074%
EXOTIC: ESCAPEE	
Muscovy Duck	0.0122% frequency
Chukar	0.0025%
Black Swan	0.0016%
Helmeted Guineafowl	0.0012%
African Collared-Dove	0.0011%
Whooper Swan	0.0009%
Budgerigar	0.0006%
Graylag Goose	0.0003%
Swan Goose	0.0003%
Indian Peafowl	0.0003%
Red-whiskered Bulbul	0.0003%
Mandarin Duck	0.0002%
Egyptian Goose	0.0001%
Emu	0.0000%
Bar-headed Goose	0.0000%
Smew	0.0000%
Green Pheasant	0.0000%

Silver Pheasant	0.0000%
Spotted Dove	0.0000%
Scarlet Ibis	0.0000%
Eurasian Eagle-Owl	0.0000%
Cockatiel	0.0000%
Monk Parakeet	0.0000%
Magpie Shrike	0.0000%
Scaly-breasted Munia	0.0000%
European Goldfinch	0.0000%

HYBRIDS

Mallard x American Black Duck (hybrid)	0.0892% frequency
Brewster's Warbler (hybrid)	0.0087%
Common Goldeneye x Hooded Merganser (hybrid)	0.0073%
Golden-winged x Blue-winged Warbler (hybrid)	0.0044%
Lawrence's Warbler (hybrid)	0.0043%
Gadwall x Mallard (hybrid)	0.0036%
Domestic goose sp. x Canada Goose (hybrid)	0.0033%
American Herring x Glaucous Gull (hybrid)	0.0032%
Bufflehead x Common Goldeneye (hybrid)	0.0031%
Snow x Ross's Goose (hybrid)	0.0028%
Blue-winged x Cinnamon Teal (hybrid)	0.0025%
Spotted x Eastern Towhee (hybrid)	0.0020%

Sharp-tailed Grouse x Greater Prairie-Chicken (hybrid)	0.0016%
Muscovy Duck x Mallard (hybrid)	0.0010%
Mallard x Northern Pintail (hybrid)	0.0009%
Snow x Greater White-fronted Goose (hybrid)	0.0008%
Common x Barrow's Goldeneye (hybrid)	0.0008%
House x Eurasian Tree Sparrow (hybrid)	0.0007%
Graylag x Swan Goose (hybrid)	0.0006%
Greater White-fronted x Canada Goose (hybrid)	0.0006%
Western x Clark's Grebe (hybrid)	0.0005%
Canvasback x Redhead (hybrid)	0.0004%
Northern Shoveler x Mallard (hybrid)	0.0003%
Northern Shoveler x Gadwall (hybrid)	0.0002%
American Wigeon x Mallard (hybrid)	0.0002%
Gadwall x Northern Pintail (hybrid)	0.0002%
Redhead x Ring-necked Duck (hybrid)	0.0002%
Tufted Duck x scaup sp. (hybrid)	0.0002%
goldeneye sp. x Hooded Merganser (hybrid)	0.0002%
Glossy x White-faced Ibis (hybrid)	0.0002%
Dark-eyed Junco x White-throated Sparrow (hybrid)	0.0002%
Lazuli x Indigo Bunting (hybrid)	0.0002%
Snow x Cackling Goose (hybrid)	0.0001%
Ross's x Cackling Goose (hybrid)	0.0001%

Greater White-fronted x Cackling Goose (hybrid)	0.0001%
Graylag x Canada Goose (hybrid)	0.0001%
Snow/Ross's x Cackling/Canada Goose (hybrid)	0.0001%
Blue-winged Teal x Northern Shoveler (hybrid)	0.0001%
Eurasian x American Wigeon (hybrid)	0.0001%
Cinnamon x Green-winged Teal (hybrid)	0.0001%
Ring-necked x Tufted Duck (hybrid)	0.0001%
Ring-necked Duck x scaup sp. (hybrid)	0.0001%
Bufflehead x goldeneye sp. (hybrid)	0.0001%
American Herring x Lesser Black-backed Gull (hybrid)	0.0001%
White-crowned x Harris's Sparrow (hybrid)	0.0001%
Connecticut x Mourning Warbler (hybrid)	0.0001%
American Redstart x Northern Parula (hybrid)	0.0001%
Cerulean Warbler x Northern Parula (hybrid)	0.0001%
Magnolia x Palm Warbler (hybrid)	0.0001%
Rose-breasted x Black-headed Grosbeak (hybrid)	0.0001%
Western x Eastern Kingbird (hybrid)	0.0000%